International Journal of Scientific Research

Indexed with International ISSN Directory, Paris

Volume 1 | Issue 3 | August 2012



ISSN No. 2277 – 8179

A Multi-Subject Journal

ISSN No. 2277 – 8179

International Journal of Scientific Research

Journal for All Subjects

Advertisement Details

Position	B/W (Single Color)	Fore Color
Full Inside Cover	₹ 6250	₹ 12500
Full Page (Inside)	₹ 5000	-

Subscription Details

Period	Amount Payable
One Year (12 Issues)	₹ 3000
Two Year (24 issues)	₹ 5800
Three Year (36 issues)	₹ 8700
Five Year (60 issues)	₹ 14400

You can download the Advertisement / Subscription Form from website www.gra.in. You will require to print the form. Please fill the form completely and send it to the **Editor, International Journal of Scientific Research** along with the payment in the form of Demand Draft/Cheque at Par drawn in favour of **International Journal of Scientific Research** payable at Ahmedabad.

Editor-In-Chief

Khansa Memon
Editor, Sarah Publishing Academy

Editorial Advisory Board

Dr. Ashok S. Pawar
Associate Professor, Dept. of Economic
Dr. Babaasaheb Ambedkar
Marathwada.University, Aurngabad

Dr.(Prof) Vijay Kumar Soni
Principal,
Jai Meenesh College, Phagi,
Jaipur, Rajasthan

Dr. A.R. Saravankumar
Assistant Professor in Education
DDE, Alagappa University,
Tamilnadu

Dr.R.Ramachandran
Commerce Dde
Annamalai University
Tamilnadu India

Dr. R Ganpathy
Assistant Professor in Commerce
Directorate of Distance Education
Alagappa University Karaikudi.

Dr. Amit Bandyopadhyay
Assistant Professor
Department of Physiology
University of Calcutta

Dr. V. Kumaravel,
Professor and Head
Vivekanandha Buss. School for Women
Tiruchengode, Namakkal Dist

Dr. K. Prabhakar,
Professor,
Department of Manag. Studies,
Velammal Engg College, Chennai

Dr. Sunita J. Rathod
Maharashtra Education
Service Group-B
DIET Dist. Jalna

1. Thoughts, language vision and example in published research paper are entirely of author of research paper. It is not necessary that both editor and editorial board are satisfied by the research paper. The responsibility of the matter of research paper/article is entirely of author.
2. Editing of the **International Journal of Scientific Research** is processed without any remittance. The selection and publication is done after recommendations of atleast two subject expert referees.
3. In any condition if any National/International University denies accepting the research paper published in IJSR then it is not the responsibility of Editor, Publisher and Management.
4. Only the first author is entitle to receive the copies of all co-authors
5. Before re-use of published research paper in any manner, it is compulsory to take written permission from the Editor-IJSR, unless it will be assumed as disobedience of copyright rules.
5. All the legal undertaking related to **International Journal of Scientific Research** is subject to Ahmedabad Jurisdiction.
7. The research journal will be send by normal post. If the journal is not received by the author of research papers then it will not be the responsibility of the Editor and publisher. The amount for registered post should be borne by author of the research paper in case of second copy of the journal.

Editor,
INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH
3, SUHANA, Nr. Rubi Apartment, B/H NID, Rajnagar Road,
Paldi – 380007. Ahmedabad-Gujarat. (INDIA)
Contact: +91 98247 02127, +91 88660 03636
Www.theglobaljournals.com | ijsr@theglobaljournals.com

INDEX

Sr. No.	Title	Author	Subject	Page No.
1	A Simple Teaching Module For Histology: Integration Of Traditional Hands-On Laboratory Methods And Modern Computer Technology.	Mrs. Vandana A. Tendolkar, Dr. Archana U.shekokar	Biotechnology	1-2
2	Synthesis And Studies On Metal Complexes Of 5-(Furan-2-Yl)-3- (2-Hydroxy Phenyl)1-H Pyrazole-1-Carbothiohydrazide	P.Saravana Bhava, P.Tharmaraj , S.Johnson Raja	Chemistry	3-6
3	Determination Of Inorganic Hazardous Air Pollutant Levels In Ambient Air Repairable Suspended Particulate Matter (P.m10) In And Around Tirupati, Chittoor District, Andhra Pradesh, India.	Mr.E. Shyam Sundar, Mr.P.M.N.Prasad, V. Hanuman Reddy, Dr. Y.V.Rami Reddy	CHEMISTRY	7-9
4	Adaptation and Convergence of International Financial Reporting Standards	Dr.S.K.Khatik, Mr.Binoy Arickal	Commerce	10-13
5	A Conceputal Framework Of Green Supply Chain Management	Dr. Vipul Chalotra	Commerce	14-15
6	Perspectives Of Food Processing In India Under Tourism Segment	Dr. S. Asaithambi	Economics	16-19
7	Global Business Perspectives Of Tourism In The Globalised Era	Prof. S. Selvamani, Dr. M. Perumal	Economics	20-22
8	A Study Of Trade Diversifications In Saarc Region	Dr.Dinesh Kumar, Sanjeev, Ruchi Singh	Economics	23-25
9	A study of professional commitment among B. Ed. Teacher educators of Bangalore University	Dr. Kotreshwaraswamy A. Surapuramath	EDUCATION	26-27
10	Self Concept of Collge Students	Dr. S. K. Panneer Selvam	EDUCATION	28-29
11	Leveraging Technology For Enhancing Teaching Effectiveness	Dr Mahalaxmi Krishnan	Education	30-31
12	Utilization Of Computers In Secondary Schools	Dr. Praveena, K. B.	Education	32-33
13	New Scheme For Data Hiding Using N-Ary Tree Structure	D.Sampath Kumar, N. Suma	Engineering	34-35
14	Bioaccumlation Of Heavy Metal In Labeo Rohita From River Panchgang.	Ms.Pallavi T.Kininge, Ms.Sushma C.Bondre, Dr.Milind Kale, Dr.M.M.Pillai., Ms.Amaraja Kulkarni	Engineering	36-39
15	Energy Optimization And Power Scheduling In Low Power Sensor Network	Prof.MS.Vaishali R , Prof.D.K.shende, Prof. MS. Shubhangi	Engineering	40-42
16	Analysis Of Power Transients In Transmission Devices For Stable Operation	Sunil Kumar Mahapatro	Engineering	43-45
17	Modeling Of Pv Module And Examining The Effect Of Irradiance In Matlab	Sangita S. Kondawar , Prof. U.B. Vaidya	Engineering	46-49
18	Role of ICT in Automobile Industry	Ms.A.Josephine Stella, Dr.K.Rajeswari	Finance	50-52
19	Collection And Services Of Special Libraries In Raebareli (India): A Survey	Dr. Sharad Kumar Sonker, Pooja	Library Science	53-55
20	Information Seeking Behaviour Of Medical & Engineering Professionals Of Lucknow: A Comparative Study	Vijeta Faraijia, Dr. M. P. Singh, Dr. Anurag Shrivastava	Library Science	56-60
21	Contact Details & Contact Number Of The Authors	Pushpendra Singh, Prof. K.L. Mahawar	Library Science	61-64

22	Indian Banking Industry: Competition And Opportunities	Bind Kumar Tiwary, Bind Kumar Tiwary	Management	65-67
23	Advertisement Attraction Of Vodafone Mobile Services Television Commercials With Special Reference To Erode District	Dr. V. M. Senthilkumar, Dr. P.Anbuoli	Management	68-70
24	A Study On Customer Satisfaction Towards Tvs Scooty In Thanjavur District Of Tamilnadu	Mrs. R.RENUKA, Dr. M. K. DURGAMANI	MARKETING	71-72
25	Jhumur Dance In Tea Gardens Of Barak Valley: A Development Dimension	Dr Partha Sarkar	Mass Communication	73-74
26	Cytohistopathological Correlation of Thyroid Swelling	Dr. Chetna J. Mistry, Dr. T. Y. Vijapura, Dr. Rupti K Pande	Medical Science	75-76
27	Can hormonal influence be a cause of auditory neuropathy	Ms.Archana, Mr.AyasMuhammed ,Ms. Maya,Ms.Jyoti	Medical Science	77-78
28	Application Of Auditory Evoked Potentials In Differential Diagnosis Of Acoustic Schwannoma From Jugular Foramen Schwannoma –A Case Report	Ms.Archana, Mr.AyasMuhammed, Ms.Saffa	Medical Science	79-80
29	Prevalence And Antibiotic Susceptibility Pattern Of Methicillin-Resistant Staphylococcus Aureus In A Tertiary Care Hospital, Jamnagar, Gujarat.	Dr. Viral P Shah , Dr. Neetu Mundra , Dr. Swati Vachhani , Dr. Hiral Y Shah , Dr. HIral Gadhvi , Dr. Hitesh Shingala , Dr. Mala sinha	Medical science	81-82
30	Audiological Profile In Osteogenesis Imperfecta: A Case Report	Ranjana Elizabeth James, Kishan M M, Prasanna V	Medical Science.	83-84
31	Preventive Modalities In The Management Of Obesity: A Review	Dr. Deep Inder , Dr. Pawan Kumar	Medical Sciences	85-86
32	Isolation And Antibiotics Susceptibility Patterns Of Acinetobacterbaumannii From Various Clinical Samples In Tertiary Care Hospital, Jamnagar , Gujarat.	Dr. Hiral Y Shah, Dr. Viral P Shah, Dr. Hiral MGadhavi , Dr. NeetuA Mundra , Dr. Hitesh K Singala , Mala sinha	Medical Sciences	87-88
33	Phenomenological Insights For A Critique Of Positivist Approach In Social Sciences.	Dr. Pardeep Kumar, Dr. Jatinder Kumar Sharma	Philosophy	89-90
34	Developing National Integration In India Through Physical Education Activities	Mr.S.Dhanaraj , Dr.A.Palanisamy	Physical Education	91-92
35	Microcontroller Based Color Measurement Using Rgb Leds	T. N. Ghorude , A. D. Shaligram	Science	93-95
36	Civil Society Role in Combating Corruption:A Small but Radical Idea	Dr.P. Sakthivel, Dr.H. Munavarjan	SocialSciences	96-97
37	Protozoan diversity of Kapsi lake kapsi (MS) India	Ade P. P.	Zoology	98-100
38	Cloud To Devising Messaging (C2dm) And Their Applications For Mobile Devices.	Biren M Patel, Vijaykumar B Gadhavi, Mr Ashish Kumar	Zoology	101-103

Research Paper

Volume : 1 | Issue : 3 | Aug 2012 • ISSN No 2277 - 8179

Cloud To Devising Messaging (C2dm) And Their Applications For Mobile Devices.

Zoology

KEYWORDS :Cloud computing; Mobile; Android; Sensor; Remote execution

Biren M Patel	Student of M.Tech, Computer Science Dept., Arya Institute of Technology, Jaipur.
Vijaykumar B Gadhavi	Student of M.Tech, Computer Science Dept., Mewar University, Chittorgarh.
Mr Ashish Kumar	Assistant Professor, Computer Science Dept., Arya Institute of Technology, Jaipur.

ABSTRACT

In this paper, we discuss what mobile cloud is and what the differences between traditional cloud systems and mobile cloud systems are. At first, we point out mobile peculiarities such as battery constrains and computation weakness, and then we envision cloud system architecture for mobile devices that addresses these two issues. Specifically, we introduce mobile sensor virtualization and remote execution as essential components of mobile cloud system. At last, we show canonical services benefiting from our mobile cloud system.

I.INTRODUCTION

Today, computer science communities face very big two tides called cloud computing and mobile computing.

Since a few years, major software companies such as Amazon, Google, Microsoft have built large-scaled cloud systems and most SP (Service Provider) have transferred their services to the cloud systems. As cloud systems provide various software platforms from IaaS (Infrastructure as a Service) to SaaS (Service as a Service) and guarantees endless computing resources with scale up/out flexibility, SP can implement scalable services easily at the low cost. It is no doubt that SNS (Social Network Service) is one of live evidences.

Another big tide is mobile computing lead by smart phones. Smartphone's, as a representative of mobile devices are very popular, and their hardware configuration is outstanding, for example, 1.2 GHz CPU, 1024 MB ram, 802.11g/n WIFI, 3G, and various sensor devices. These hardware components make recent smart phones possible to do everything that desktop can do. Especially, high-end smart phones (e.g., Apple, Android, and Window Phone 7) that have their unique application ECO system can do beyond desktop's capabilities on the behalf of various sensor devices. In a sense, it might be natural to collaborating mobile devices with cloud system. As the performance of Smartphone is superior, users want to use their Smartphone as a client of new SNS as well as legacy services. Also, cloud system administrators begin to enhance the cloud systems with additional servers that help mobile devices. Typical examples of this efforts are PUSH (e.g., C2DM (Cloud To Device Messaging) from Google) servers and SYNC servers. Specifically, C2DM is a wonderful tool for SNS developers and it is good for network operators, because it prevents from wasting bandwidth for Keep Alive messages.

Nevertheless, both service developers and users found some limitations on services running in cloud system with smart phones. At first, users always keep attention for one resource, battery power, which is a most crucial resource. High performance Smartphone can process complicated services, but it drains battery power much faster. Therefore, users cannot help recharging the battery, and then, this degrades the portability. Secondly, service developers have different difficulties. Most services including SNS require various sensor data in real-time such as geographical location or motion speed. This means that software part running on cloud system needs to query user's sensor data in real time. However, there is no uniform platform/library to aggregate and to deliver sensor data from various sensor devices of individual mobile devices for the server side system, so this is a big hurdle for SNS developers.

To address the first issue, Chun [7] proposed an augmented execution model. This approach has strength in alleviating computation loads of smart phones, but it has some constraints. In augmented execution, when application runs on server side, it is hard to synchronize intermediate data with mobile side. As mentioned in the previous paragraph, mobile services need various sensor data ceaselessly. However, augmented execution model does not provide a well-defined platform how server module can read mobile sensor data.

As a result, a cloud system for mobile devices should provide a tool that help work together easily and provide a way how to send mobile sensor data for rich mobile services. Therefore, we adopt augmented execution model as a cloud execution model and we propose sensor virtualization layer that gives transparent sensor data delivery. The latter can enhance the former's usability.

In this paper, we propose a virtual machine based-remote execution module with sensor device virtualization. With these tools, server module can co-work client modules with easy and utilizes client's sensor devices seamlessly. We start from building a virtual machine for Android, and implement remote execution mechanism for Java and also implement virtual sensor devices into Linux kernel as a form of kernel Modules. As virtual sensor devices are implemented in Linux, the devices can be used transparently by Android system.

II. BACKGROUND AND RELATED WORK

As illustrated in Fig. 1, the current mobile cloud system is much similar with typical cloud system except PUSH and SYNC servers. PUSH and SYNC servers are of "sugar" servers, because the servers enhance just mobile user experience much better and help other core servers. In a sense, two servers can be just regarded as a mobile gateway for better data exchange with cloud servers.

Now, the question is what the "mobile" does mean. Some cloud systems can be regarded as mobile cloud systems because their clients are mobile devices or because their deploying services are targeting for mobile devices or because they contains PUSH and SYNC servers as mentioned above.

Before defining the meanings of mobile, we point out the differences between mobile devices and desktop systems in the view point of clients (service target). About ten years ago, mobile devices were quite different from desktop. They had low performance processor, low memory, low quality displayer, so they was not able to run normal operating systems which meant that mobile applications were somewhat dedicated for mobile platforms. Therefore, the key philosophy for mobile applications was that the less mobile

devices do, the better services are. Ten years change everything, and then, today, there is no quite difference between desktop and mobile devices such as iPhone or Android, and mobile devices can process most jobs that desktop can do in terms of performance.

However, there is one thing left, portability. The faster mobile processor is, the faster battery drains. In spite of brilliant material technology, the development speed of rechargeable battery technology is very slow, so everyone who has an iPhone or Android phone now is commonly worried about the shortage of battery power.

Also, a new issue comes out. Unlike the past, stock mobile devices have many sensor devices, and mobile services read values in real time. Most mobile platforms (e.g., iOS, Android, or Windows Phone) provide well defined API to handle sensor devices. However, the method for transferring sensor data from mobile devices to the cloud systems still is nothing changed. Developers just use TCP/IP communication with their own socket libraries.



Fig 1: Typical mobile cloud system

There are some researches for mobile issues. In [6], authors addressed battery lifetime with cloud computing and proposed off-loading computation for energy-saving. In [7], authors introduced clone computing to enhance Smartphone capabilities. They [6][7] tried to catch two goals, computation limitation and energy limitation by Dalvik VM cloning (Augmented Execution) for Android. This work is remarkable, because augmented execution can leverage the degree of distribution between mobile device and cloud system on the same programming environment. However, they do not refer methods how to synchronize runtime execution environments (including run time data) with cloned Dalvik VM and real VM. Since sensor data have a tendency to change ceaselessly in mobile services, streaming sensor data is crucial. Nevertheless, augmented execution is worthy to evolve and we adopt it as a starting point of our remote execution.

III. MOBILE CLOUD SYSTEM ARCHITECTURE

Our system targets at two tools, remote execution and sensor device virtualization. Remote execution takes a responsibility for helping mobile device execution, which means that some sections of code are run on cloned VM instead of on mobile device, and sensor device virtualization that is used as sensor data sources for remote execution.

Tosimply remote execution model, we also restrict remote execution scope as following: 1) it has the same programming environment as mobile devices; 2) it does not share data between local modules and remote modules - stateless model; 3) only mobile side can initiates application.4) only sensor data read from virtualized sensor devices are allowed for server. Like augmented execution in [7], our model is based on virtual machine.

Fig 2: Mobile Cloud System



Fig 3: Sensor device virtualization

Fig. 2 illustrates overall architecture of our mobile cloud system. We adopted x86-based Android system for mobile virtual machine, and RE (Remote Execution) is implemented as Java library, which is similar with JAVA Remote Thread library. Like other remote thread libraries, REisalsobased on a stateless model. Instead, our Rethread function takes one "Fertilizable" Java class as a function parameter. In the cloud system side, RE modules are of teninneed of sensor data for mobile services. So far, developers should make a connection to read them, and they should endure various overheads such as checking device capabilities or network status. To alleviate such overheads, we introduce the sensor device virtualization that lets developers use client (remote) sensor devices locally. Fig. 3 shows the sensor device virtualization flow. As Android system is based on Linux, we hooked sensor devices I/O at kernel modules. This implies that applications (RE modules) can invoke sensor device I/O calls transparently. Specifically, when quest are arrives from RE modules, virtual devices redirect are quest to a peer mobile device. Although not presented in Fig 3, mobile device also should have corresponding modules to process a redirected request. The corresponding modules receive a request and finally reply with live sensor value.



Fig4: Overall cloud system for mobile devices

Our mobile cloud system with remote execution and sensor device virtualization is shown in Fig. 4. As one of the goals of our cloud system is to provide the same application environment as mobile devices to developers, our cloud supports mobile virtual machines. In case of Android phones, our cloud system allocates an Android x86 virtual machine per Android client for server part modules.

Although our service execution model is based on the stateless model, it can process rich mobile services thanks to sensor device virtualization which provides live sensor data. In order to reduce response time and lightness, our model uses UDP based protocol with packet sequencing and limited ARQ features.

IV. APPLICATION

In this section, we show a typical example of services benefiting from our remote execution and sensor device virtualization. The example is about security. The scenarios are supposed that one security developer wants to verify both physical and logical security simultaneously. He/she needs sensor data for physical authentication and wants to run decoder for logical authentication on server. The main goal of this example is not to show a fact that security is enhanced due to our system. Instead, the goal is to show a fact that the developers can use mobile sensor data easily for physical authentication by sensor device virtualization just like they implement and run it on a local device.

Volume : 1 | Issue : 3 | Aug 2012 • ISSN No 2277 - 8179



Fig 5: Two authentication scenarios

Mobile authentication with GPS: User authentications one of eternal problems. Basically, if the tuple,{ID, Password} is correct, system regards an in coming users being verified. However, suppose that hacker got a password, and try to login. How can system detect this?

In the lower scenario (b) in Fig. 5, the developer of servers implemented verification module with additional features. Whenever the ID/Password arrives, server-side verification module queries GPS data without intervention of mobile user via local (virtualized) sensor devices and constructs location DB {user/location area}. One day, the user requests login, and verification module notices that his/her location is far from the usual location area. With only this fact, it is enough to suspect the user, and system can proceed to more robust verification step.

This scenario also can be implemented with traditional manner (a), but it is not simple. Developers should consider how to read GPS data and how to transfer to server. Also, developers should take care of upgrading of client part. However, if developers use our remote execution, they don't need TCP/IP to send ID/Password data, and if they use virtualized sensor devices, they don't need to know user's device model and how to access.

V. CONCLUSION

In this paper, we addressed two peculiarities called portability and sensor devices that make mobile cloud systems different from typical cloud systems ,and we emphasize on the facts that mobile cloud system should take a care of two peculiarities. Especially, manipulating of various sensor data is considered as one of decision factors for whether the services are categorized as mobile services or not. For portability, we think the battery consumption. As a result, we propose remote execution with stateless model.

We are currently building Linux kernel supporting virtualized sensor devices and also implementing JAVA interfaces for remote execution. While we are still working on this project and are building prototypes, we take a look at the possibility that it can be indeed a good candidate of mobile cloud system.

REFERENCE

[1] http://www.android.com, April, 2011. | [2] http://developer.android.com/sdk/index.html, April, 2011. | [3] Bornstein, D. Dalvik virtual machine. http://www.dalvikvm.com, | April, 2011. | [4] Kozuch, M. A., Ryan, M. P., Gass, R., Schlosser, S. W., O'Hallaron, | D., Cipar, J., Krevat, E., López, J., Stroucken, M., and Ganger, G. R. | "Tashi: location-aware cluster management," In Proceedings of the 1st Workshop on Automated Control For Datacenters and Clouds (Barcelona, Spain, June 19 - 19, 2009). | [5] Avetisyan, A.I., Campbell, R., Gupta, I., Heath, M.T., Ko, S.Y., | Ganger, G.R., Kozuch, M.A., O'Hallaron, D., Kunze, M., Kwan, T.T., | Lai, K., Lyons, M., Milojicic, D.S., Hing Yan Lee, Yeng Chai Soh, Ng Kwang Ming, Luke, J-Y., and Han Namgoong, "Open Cirrus: A Global Cloud Computing Testbed," in IEEE Computer, Vol. 43, Issue 2, pp. 35 ~ 43, April, 2010. | [6] Kumar, K., Y.-H. Lu, "Cloud Computing for Mobile Users: Can |Offloading Computation Save Energy?," in Computer, Vol. 43, Issue | 4, pp. 51~56, April 2010 | [7] B.-G. Chun and P. Maniatis, "Augmented smartphone applications | through clone cloud execution," in Proceedings of the 12th | Conference on Hot topics in operating systems (HotOS'09), pp. 8~12, | 2009 |



Sara Publishing Academy
INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH
Journal for All Subjects

The Editor,
INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH
8-A, BANAS, Opp. SLU Girls College, NR. Congress Bhavan,
Paldi – 380006. Ahmedabad-Gujarat. (INDIA)
Contact: +91 98247 02127, +91 88660 03636
Website : www.theglobaljournals.com
Email Id: ijsr@theglobaljournals.com

Printed at Unique Offset, Novatsing Rupam Estate, Opp. Abhay Estate, Tavdipura, Shahibaug, Ahmedabad