



## Effect of Combination of Speed And Endurance Training Programme On Selected Physical And Physiological Variables of Women Handball Players

**Dr. Mahesh M. Mahida**

Research Guide

**Mr. Mayursinh R. Jadeja**

Research Scholar

### ABSTRACT

The purpose of the study was to find out the effect of combination of speed and endurance training on selected physical and physiological variables of university women handball players. To achieve this purpose, thirty women handball players studying in Saurashtra University, Rajkot were randomly selected as subjects. They were divided into two equal groups and each group consisted of 15 subjects. Group-I underwent combination of speed and endurance training (n = 15) for three days per week for eight weeks and group-II acted as control (n = 15) who did not participate any special training apart from the regular curricular activities. The selected dependent variables speed, strength endurance, cardio respiratory endurance and resting pulse rate were assessed by administering 50 meters run, sit-ups, Cooper's 9 minutes run and walk and rate of pulse per minute respectively. The data were collected at prior and immediately after the training programme were statistically examined for significant differences, if any, by applying analysis of covariance (ANCOVA). In all the cases, .05 level of confidence was used to test the significance, which was considered as an appropriate.

**KEYWORDS :** Speed and endurance training, physical and physiological variables.

### 1. Introduction

One of the most beautiful and valuable things that God has created on earth is human life. It is the responsibility of human to protect and maintain human life in order to achieve higher goals and live a meaningful life. This can be made possible by paying due attention to health and fitness. So scientist's researchers and health experts have devoted much of their precious time to the field of health and fitness, the greatness of a nation is dependent to a large extent on the fitness of its citizens. "Total fitness" includes physical, mental, emotional, social and spiritual aspects. Physical educators are mainly responsible for promoting the physical aspect of total fitness in harmony with all the other aspects of fitness.

### 2. Methodology

#### 2.1 Selection of subjects

The purpose of the study was to find out the effect of combination of speed and endurance training on selected physical and physiological variables of university women handball players. To achieve this purpose, thirty women handball players studying in Saurashtra University, Rajkot were randomly selected as subjects. The age groups of the subjects were ranged between 18 to 25 years. They were divided into two equal groups and each group consisted of 15 subjects. Group-I underwent combination of speed and endurance training for three days per week for eight weeks and group-II acted as control who did not participate any special training apart from the regular curricular activities.

#### 2.2 Selection of variables and tests

The present study was undertaken to assess the effect of combination of speed and endurance training on selected physical and physiological variables of university women handball players. The investigator analyzed various literatures and also consulted with physical education professionals, to use the most suitable tests for the purpose of study and it was presented in table - 1.

**Table 1:**  
**Dependent Variables and their Respective Tests**

| No. | Criterion Variables          | Test Items                      | Unit of Measurement |
|-----|------------------------------|---------------------------------|---------------------|
| 1   | Speed                        | 50 Meters Run                   | Seconds             |
| 2   | Strength Endurance           | Sit-ups                         | Numbers             |
| 3   | Cardio-respiratory Endurance | Cooper's 9 minutes Run and Walk | Meters              |
| 4   | Resting Pulse Rate           | Pulse rate per minute           | Numbers             |

#### 2.3 Specific Speed and Endurance Training

The experimental group underwent combination of speed and endurance training for three days per week for eight weeks.

#### 1. Fartlek runs-mix of sprint & jogs:

I. Sprint straight away, jog turns on track Sprint turns, jog straight away on track, and Sprint from tree to tree, mailbox to mailbox, telephone pole to pole, with jogs in between.

II. Start 8-10 minutes; add 2 minutes every 2 weeks.

#### 2. Fartlek run-mix of sprints & jogs:

I. Get certain of sprint of varying distances during each mile run.  
II. 2-3 mile run 3, 4, 6, or 10 sprints of varying distances during each mile run. (3 sprint/ mile).

#### 3. Linear Speed running – 100 yards.

4. 10 x 30 metres at race pace from blocks with full recovery 4 x 80 metres at race pace with full recovery.

#### 5. 18- 27 minutes walking.

6. 27- 36 minutes jogging.  
7. 13- 23 minutes running.  
8. 9- 13 minutes sprinting.

#### 2.4 Experimental design and statistical procedure

The random group design was used as experimental design. The selected subjects were tested on selected criterion variables at prior to and immediately after the training programme and were statistically examined for significant differences, if any, by applying analysis of covariance (ANCOVA). In all the cases, .05 level of confidence was used to test the significance, which was considered as an appropriate.

### 3. Results

The data collected during pre and post-tests among control and training groups have been analysed statistically and the details are shown in table- 2.

**Table 2:**

Analysis of Covariance for the Adjusted Posttest Data on Selected Speed, strength endurance, cardio respiratory endurance and resting Pulse rate of Control and Training Groups

| Variables          | Control Group | Training Group | Source of Variance | Sum of squares | D.F | Mean Squares | F Ratio |
|--------------------|---------------|----------------|--------------------|----------------|-----|--------------|---------|
| Speed              | 6.28          | 7.51           | B                  | 9.65           | 1   | 9.65         | 120.62  |
|                    |               |                | w                  | 2.27           | 27  | 0.08         |         |
| Strength endurance | 38.86         | 40.46          | B                  | 531.25         | 1   | 537.25       | 210.81  |
|                    |               |                | W                  | 68.62          | 27  | 2.52         |         |

|                              |         |         |   |          |    |          |       |
|------------------------------|---------|---------|---|----------|----|----------|-------|
| Cardio respiratory endurance | 1792.93 | 1873.79 | B | 48805.81 | 1  | 48805.81 | 33.76 |
|                              |         |         | W | 39037.44 | 27 | 1445.83  |       |
| Resting pulse rate           | 70.72   | 68.68   | B | 30.89    | 2  | 30.89    | 55.16 |
|                              |         |         | W | 15.17    | 27 | 0.56     |       |

The adjusted post-test mean values of speed for combination of speed and endurance training group and control group were 7.51 and 6.28 respectively. The obtained 'F' ratio value of 120.62 for adjusted post-test scores of combination of speed and endurance training group and control group were greater than the required table value of 4.21 for significance with d. f. 1 and 27 at .05 level of confidence. The results of this study showed that there was a significant difference between combination of speed and endurance training group and control group on speed.

The adjusted post-test mean values of strength endurance for combination of speed and endurance training group and control group were 40.46 and 38.86 respectively. The obtained 'F' ratio value of 210.81 for adjusted post-test scores of combination of speed and endurance training group and control group were greater than the required table value of 4.21 for significance with d. f. 1 and 27 at .05 level of confidence.

The results of this study showed that there was a significant difference between combination of speed and endurance training group and control group on strength endurance.

The adjusted post-test mean values of cardio-respiratory endurance for combination of speed and endurance training group and control group were 1873.79 and 1792.93 respectively. The obtained 'F' ratio value of 33.76 for adjusted post-test scores of combination of speed and endurance training group and control group were greater than the required table value of 4.21 for significance with d. f. 1 and 27 at .05 level of confidence.

The results of this study showed that there was a significant difference between combination of speed and endurance training group and control group on cardio-respiratory endurance.

The adjusted post-test mean values of resting pulse rate for combination of speed and endurance training group and control group were 68.68 and 70.72 respectively. The obtained 'F' ratio value of 55.16 for adjusted post-test scores of combination of speed and endurance training group and control group were greater than the required table value of

4.21 For significance with d. f. 1 and 27 at .05 level of confidence. The results of this study showed that there was a significant difference between combination of speed and endurance training group and control group on resting pulse rate.

**5. Conclusions**

The results of the study showed that there was a significant improvement on selected criterion variables such as speed, strength endurance, cardio-respiratory endurance and resting pulse rate due to combination of speed and endurance training.

In the present study, the specifically designed combination of speed and endurance training for university women handball players is highly relevant to the selected criterion variables. So that the specific combination of speed and endurance training may influence the criterion variables