Original Research Paper



CRITICAL REVIEW ON VIRUDHA AAHAR (INCOMPATIBLE DIET) IN ANCIENT AND MODERN TIMES

Vd. Supriya Ashok	PG Scholar, Swasthavritta and Yoga Department, Government Ayurvedic College,
Shelke*	Nanded - 431601, Maharashtra, India. *Corresponding Author
Dr. Yeshwant Rajpal Patil	Guide and HOD, Swasthavritta and Yoga Department, Government Ayurvedic College, Nanded - 431601, Maharashtra, India.

Viruddha Ahara is a unique concept described in Ayurveda. The present article deals with the critical review of ABSTRACT Viruddha Ahara referred in terms of food-food interactions, food processing interactions. Ayurveda clearly defines that certain diet and its combinations, which interrupts the metabolism of tissue, which inhibits the process of formation of tissue and which have the opposite property to the tissue are called as Viruddha Anna or incompatible diet. The food which is wrong in combination, which has undergone wrong processing, which is consumed in incorrect dose, which is consumed in incorrect time of day and in wrong season can lead to Viruddha Ahara. It also enlists a variety of incompatible dietary articles consumed in today's day-to-day life and its hazardous effects on health. The article narrates the modern perspective of Samskar Viruddha, Veerya Viruddha, Samyoga Viruddha, and so on.

KEYWORDS : Ayurveda, Virudha Ahara, food-food interactions, incompatible diet, processing, unwholesome diet.

INTRODUCTION

The dietetics for human beings that are in changing manner due to shorter world and mostly due to human behaviour. Now-a-days it is observed that, peoples are forgotten the code and conduct of dietetics- which is also vary from region to region due to changing life style, urbanization and fascination of western culture, food habits of society are changing. This tendency either by ignorance or by carelessness about the harmfulness of their food & food habits results to pay penalty for this. Viruddhahara (incompatible diet) is a very important concept of ayurveda, ignoring it results in the manifestation of various diseases and as we know Prevention is better than cure, it is very essential to follow guidelines given by acharyas in ayurveda to lead a healthy life. Food-food interaction is a serious issue but not much alerted one. Most of these food-food interactions are harmless but it is always better to know about some of them.

The literal meaning of word Viruddha is opposite. It sounds that the food combination of certain type of food may have-

- **Opposite properties**
- Opposite activities on the tissues
- May exert some unwanted effect on the body when processed in a particular form
- May exert undesirable effects, when combined in certain proportion
- May have unwanted effect if consumed at wrong time.

DEFINITION OF VIRUDDHAHARA

Acharya Charaka: Whatever article of food, which having dislodged the doshas (morbid humors) but do not eliminated from the body is to be considered as *viruddhahara*^[1](unwholesome).

Acharya Sushurta has explained various types of *viruddhahara*^[2] in Sutrasthana 20th chapter - Hitahitiyam Adhaya like Karma viruddha (Functionally incompatible), Maana viruddha (Quantitative incompatible), Samyoga viruddha (Unsalutary combinations), Rasa viruddha (Incompatibilities amongst two tastes).

Acharya Vagbhatta described viruddhahara (Incompatible food) in the text Ashtanga sangraha, Viruddhahara means substances which when consumed cause aggravations of doshas (morbid humors) but do not expel them out of the body and bring about abnormalities in $dhatus^{{}_{[3]}}$ (tissues of the body).

AIM

Which concept of Virudha Aahar (incompatible Diet) in ancient and modern Times."

OBJECTIVE:

- To discuss, evaluate & elaboration of concept of Viruddhahara 1.
- To discuss the harmful effect of Viruddhahara 2.
- 3. To discuss the treatment plan of Viruddhahara.

MATERIAL AND METHODS

This article is based on personal experiences & textual review. Material related to Viruddhahara was collected from the Charaka Samhita, Sushruta samhita and Astanga sangraha, Astanga hridaya and its hindi & english commentaries. Modern Texts & various websites to collect information on the relevant topics were referred.

CONCEPTUAL STUDY

Cakrapani has said that ahara means that which is ingested and thus it includes in it both diet and drugs. Gangadhara has also supported this by commenting, that which is ingested by the tongue down to the throat, is called ahara. Therefore drugs are also included in ahara.^[4] Food substances which provoke *doshas*, but do not expel them out of the body are known as Viruddha (incompatible).

Ayurveda literature has described various types of Viruddha Ahara, which can be summarized as follows:

- Desha (place) Viruddha 1.
- Kala Viruddha 2.
- 3. AgniViruddha
- 4. Matra (quantity) Viruddha
- 5. Satmya (wholesome) Viruddha
- Dosha Viruddha 6.
- 7. Sanskar (mode of preparation) Viruddha
- 8. Veerya (potency) Viruddha
- 9 **KoshthaViruddha**
- 10. Avastha (state of health) Viruddha
- 11. Kram (sequence) Viruddha
- 12. Parihar Viruddha
- 13. Upachar (treatment) Viruddha
- 14. Paak (cooking) Viruddha
- 15. Samyoga (combination) Viruddha
- 16. Hriday Viruddha
- 17. Sampad (richness of quality) Viruddha
- 18. Vidhi (rules for eating) Viruddha

Examples of incompatibility/antagonistic (Viruddha-Aahara)

- 1. Veerya Viruddha (potency incompatibility) fish + milk.
- 2. Sanskar Viruddha (processing incompatibility) — heated honey.
- Matra Viruddha (dose incompatibility) honey + cow's ghee 3. mixed in equal proportion.
- 4. Krama Viruddha — hot water after taking honey.

- 5. Kala Viruddha (time incompatibility) pungent substance in summer and cold substances in winter.
- Krama Viruddha (order incompatibility) consuming curd at night. Taking Madhura Rasa food or Dravya at the end of meals and Tikta and Katu Rasa Dravyas (food substances) at the starting of meals.
- Samyoga Viruddha (combination incompatibility) fruit salad or milk + banana.
- Parihar Viruddha (contraindication incompatibility) consuming cold water immediately after having hot tea or coffee.

Food incompatibilities in today's perspective

Viruddha Ahara can lead to inflammation at a molecular level. Number of food incompatibilities are mentioned in old Ayurved literature, such as Charaka and Sushruta Samhitas. These type of food combinations are not in use in today's era. We have to identify new food incompatibilities, which are used today in day-to-day life as per Ayurvedic perspective. These food incompatibilities can also be categorized into Karma Viruddha, Krama Viruddha, Veerya Viruddha, and so on. Such food combinations can prove harmful, which may be imparting its untoward effects on immune system, cellular metabolism, growth hormone, and Dehydroepiandrosterone sulfate (DHEAS).

A new branch called topography (a science related to combination of food) is emerging, which tells about the combination of basic categories of the food.^[5] As per this science proteins must not get combined with starch and carbohydrates and may be consumed differently. This is because starches require an alkali medium and the amylase in saliva contains ptyalin, an enzyme that breaks down starch into maltose. The process continues in the small intestine, where more amylase further breaks down the maltose into simple glucose, fructose, and galactose. These are absorbed into the bloodstream, and taken to the liver, which dispenses the energy to whatever cells in the body need it. If there is no immediate requirement, glucose will be converted to glycogen and stored in the liver, or into fat to be stored in adipose tissue.

Consuming proteins and starches together will result in absorption of one being delayed by the other. Similarly, eating sugars and acid fruits hinder the action of ptyalin and pepsin, reducing the secretion of saliva, and delaying digestion. If insufficient amylase is present in the mouth, starch will not be digested at all in the stomach, instead clogging up the works until amylase in the small intestine can get to work on it. Fats impede the secretion of digestive juices, and reduce the amount of pepsin and hydrochloric acid, so they should be avoided or used sparingly with protein-rich foods. The unwanted effect of wrong combinations of food is not limited up to gastrointestinal tract only but may hamper the major systems of the body. The unwanted side effects can emerge inside the body when two or more types of foods are consumed together. Such reactions can be less important but on long term, it can be fatal upon precipitating serious side effects.

Green tea or black tea and milk

Tea contains flavonoids called catechins, which have many beneficial effects on the heart. When milk is added to tea, then a group of proteins in milk, called caseins, interact with the tea to reduce the concentration of catechins. So, avoid tea and milk together.⁽⁶⁾

Milk and yoghurt interaction

As you know consuming both together can precipitate milk inside the stomach that may irritate and induce vomiting. So, avoid milk and yoghurt together.

Tea and garlic

Tea contains anticoagulant compounds called coumarins. When combined with garlic (that also has anticlotting properties), they may increase the risk of bleeding. So, better to avoid tea and garlic together.⁷⁷

Pomegranate juice and grapefruit juice

Pomegranate juice and grapefruit juice, are both known to block the cytochrome P450 3A4 enzyme systems in the intestines and increase blood levels of many medications you are taking. Taking these two juices together may synergize the above action.^[8]

Unripe (green) tomatoes or potatoes and alcohol

The unripe green tomatoes contain huge amount of solanine, which may interact with alcohol. You may feel more sedation if the intake is more. $^{\scriptscriptstyle [9]}$

Sanskara Viruddha

Deep frying of potatoes can develop toxic substances, such as acrylamide, which can prove to be carcinogenic.^{110]} Eating potato chips regularly is Sanskara viruddha. It is also mentioned in Ayurved text that heating honey is Sanskar Viruddha. Honey that is available in the market is Agmark honey and this honey is strongly heated before packaging. It is very important to find the relevance about why we must not heat honey.

Mode of action of Viruddha Ahara

Viruddha Ahara taken regularly could induce inflammation at a molecular level, disturbing the eicosanoid pathway creating more arachidonic acid leading to increased prostaglandin-2 and thromboxane. This inflammatory effect is an important effect as these are all the basic pathologies that create Agni Mandya, Ama, and a number of metabolic disorders.

It has been clearly mentioned in Ayurveda text that oil and food must not be reheated. Reheating of oil creates more oxidation and if consumed may create more oxidative stress creating more free radicals. Oxidative rancidity occurs when fatty acids are exposed to oxygen in the presence of heat or light, resulting in the formation of hydroperoxide compounds. These hydroperoxides in turn form aldehyde molecules. Oxygenated aldehydes are toxic compounds that cause oxidative stress in the cells of body and may increase the risk of degenerative illness and atherosclerotic disease. Hydroperoxide fatty acids may also have a detrimental effect on the fat-soluble vitamins A and E. Thermally oxidized fat generates toxic lipid peroxidation products that would induce oxidative stress in animals. [11] Degree of saturation of oil is an important factor determining the quality of cooking oils. Unsaturated fatty acids are more susceptible to lipid oxidation than saturated fatty acids and for this reason they are good source of free radicals.^[12]

A recent study found that a toxin called 4-hydroxy-trans-2- nonenal (HNE) forms when such oils as corn, soya bean, and sunflower oils are reheated. Consumption of foods containing HNE from cooking oils has been associated with increased risks of cardiovascular disease, stroke, Parkinson's disease, Alzheimer's disease, Huntington's disease, various liver disorders, and cancer.^[13]

Certain researches pointed out that the quantity of HNE is higher in deep fried foods, such as snacks that fried in cooking oils such as corn, soya bean, and sunflower oils. Scientific explanation about the formation of HNE is when fruits or vegetable pieces are boiled inside oil to get fried, then oil molecules that penetrated into the fried food gets converted into similar molecules like that of HNE. While getting cooled to room temperature, this molecule will convert into toxin HNE, which will ultimately lead to risks of cardiovascular disease, stroke, Parkinson's disease, Alzheimer's disease, Huntington's disease, various liver disorders, and cancer.

Since it is a potent electrophile, HNE is one of the most toxic aldehydes generated during lipid peroxidation. It combines spontaneously with glutathione, and with cysteine, histidine, and lysine residues of proteins, and displays a variety of cytotoxic and genotoxic effects.^[14]In cardiac myocytes, HNE causes metabolic inhibition, thiol oxidation, and generates pro-arrhythmic changes in cellular excitability.^[15]HNE-modified proteins have been detected in atherosclerotic plaques, and high concentrations of HNE have been measured in perfused^[16] or Adriamycin-treated^[15,17] hearts.

Majority of the disease has an inflammatory pathology. Even if drug therapy successfully blocks the COX and LOX enzyme systems, arachidonic acid can still be converted into other damaging molecules, such as epoxy derivatives. So, another approach to treating the diseases involving eicosanoids seems desirable: to try to prevent eicosanoid production by dietary modifications. In addition, consuming omega-6-rich oil and that too rancid by reheating aggravates the inflammatory pathology.^[18]

High-temperature cooking must also be called as Sanskara Viruddha. Foods typically cooked at high temperatures, like meats, may contribute to the risk and exacerbation of chronic diseases linked with inflammation. When proteins are cooked with sugars in the absence of water, AGEs are formed. Water, however, prevents these sugars from binding to the protein molecules. Thus, combination of proteins with sugar and cooking it in absence of water is Viruddha. Grains, vegetables, fruits, and all such have protein in them as well, with browning being an indication of AGEs. AGEs are the end products of glycation reactions, in which a sugar molecule bonds to either a protein or lipid molecule without an enzyme to control the reaction. A similar reaction, known as glycosylation, uses an enzyme to control the reaction, targeting specific receptor sites on cells. Glycation, on the other hand, "Advanced Glycation end product is a random process that damages the functioning of biomolecules."

Certain processing incompatibilities are observed, which leads the food to develop certain toxic chemicals or unwanted chemicals. Certain processing deteriorates the nutrients' value of the food or convert into RAGE that is receptor for advanced glycosylated end products.

It is now well established that formation and accumulation of AGEs progress during normal aging, and at an extremely accelerated rate under diabetes, thus being implicated in various types of agerelated disorders, such as diabetic vascular complications, neurodegenerative diseases, and cancers. Furthermore, there is accumulating evidence that AGEs and their receptor RAGE interaction elicits oxidative stress generation and subsequently alters gene expression in various types of cells. In addition, digested food-derived AGEs are found to play an important role in the pathogenesis of the age related disorders as well. Indeed, restriction of diet-derived AGEs not only block the progression of atherosclerosis and renal injury, but also improves insulin resistance in animal models. AGE-poor diets reduce serum levels of inflammatory biomarkers in patients with diabetes or chronic renal failure. These observations suggest that the restriction of food-derived AGEs or the inhibition of absorption of dietary AGEs may be a novel target for therapeutic intervention in the age-related disorders.

Certain type of food combinations and the unwanted substance released by certain incompatible food in vivo may have a bad impact on immune system. Milk which contains lactogen and certain fruits, such as bananas, which also contain common allergen may aggravate an asthmatic attack. Milk with eggs, reheated cow's milk, consuming too much sugar along with saturated fats, can lead to number of immunologic disorders. It has been regularly observed in the clinics that rheumatoid arthritis patients who consume curds at night, sour food at night complain of more morning stiffness. It must be studied that weather such type of Kala Viruddha diet would accelerate antigen and antibody reactions and exhibit an impact on WBCs.

These types of studies would also suggest that regular consumption of Viruddha Ahara would also lead to immune senescence.

As per the definition explained by Charaka Samhita those food substances and combinations, which induce deteriorating action on the body tissues, that is, Dhatus can be called as Viruddha Ahara. Fast food is high in energy density and low in essential micronutrient density, especially zinc (Zn), of which antioxidant

processes are dependent. It has been tested that frequent fast food consumption could induce oxidative damage associated with inflammation in weanling male rats in relevance to Zn deprivation, which could adversely affect testis function. Zn and iron (in plasma and testicular tissue), plasma antioxidant vitamins (A, E, and C), as well as testicular Super-Oxide Dismutase (SOD) and reduced Glutathione (GSH), lipid peroxidation indexes [Thio-Barbituric Acid Reactive Substances (TBARS) and Lipoprotein Oxidation Susceptibility (LOS)], inflammatory markers (plasma C-Reactive Protein (CRP), and testicular Tumour Necrosis Factor - Alpha (TNF-a)) were determined in one of the studies. Serum testosterone and histological examination of the tests were performed also. A severe decrease in antioxidant vitamins and Zn, with concomitant iron accumulation was found. Zinc deficiency correlated positively with SOD, GSH, antioxidant vitamins, and testosterone, and negatively with TBARS, LOS, CRP, and TNF-a, demonstrating a state of oxidative stress and inflammation. It was concluded that micronutrient deficiency, especially Zn, enhanced oxidative stress and inflammation in testicular tissue leading to under development of testis and decreased testosterone levels."

Experts in nutrition believe that these epigenetic changes can affect the expression of certain genes. This could have implications for foetal development, cancer, aging, and other biological processes. The research in this field is in the early stages and much is still unknown about this area of nutrition. However, as researchers learn more, they will have a better understanding of the best dietary recommendations to reduce the risk of disease and improve health. In the quotation of Charaka about the effects of Viruddha Ahara he has mentioned Shandhatva. Shandhatva can be congenital, which can be due to certain genetic expressions in foetus if the parents have consumed regular Viruddha Ahara. A number of dietary components exert their beneficial effects on human health by modulating the expression of genes involved in the pathogenesis and/or in the protective mechanisms relative to epidemiologically relevant diseases (e.g., cancer, cardiovascular diseases). In this respect, the downstream effects of posttranslational modifications of histone proteins and other DNA-interacting proteins are emerging as crucial aspects contributing to the phenotypic response to food intake and to individual nutrients.

A large number of studies have clearly demonstrated that some dietary components affect gene transcription, through multiple mechanisms. To mention few examples, fatty acids can act as ligands of membrane and nuclear receptors, thus regulating intracellular signalling and gene expression while polyphenols, present in a large number of food sources, exhibit anti-inflammatory activities by interfering at multiple levels with the activation cascade of nuclear factor- κ B, a key regulator of the inflammatory response.

Apart from all biochemical effect of Viruddha Ahara, food substance which is not liked by the person leads to Viruddha Ahara. This may lead to continual maldigestion too. Charaka has also mentioned that those people who are able to digest Viruddha Ahara properly, who exercise very regularly, who are young and have a very good status of Agni can consume Viruddha Ahara.

CONCLUSION

The wholesome use of *Ahara* brings health whereas unwholesome food habits are cause of various diseases. The incompatibility of food is described in Ayurveda under the concept of *Viruddha Ahara*.This can lead to several hazardous diseases unknowingly to the patients. Therefore, it is important to enlist the causative incompatible dietary factors and train the patients to avoid such etiologic factors.

REFERENCES

- Agnivesha; Charaka Samhita, English commentary by R.K.Sharma, Bhagwan Dash Vol.I ChoukhambaSanskrit Series Office, Varanasi, Edition 2010, Ch. Su.26/85 Page no.485.
- Sushruta. Sushruta Samhita (Hindi commentary), Vol. 1. Ambika dutt Shastri, editor. 1st ed. Varanasi: Chaukhamba Sanskrit Sansthan; 2010. Sutra sthana, p. 108-109.

- Vagbhatta. Astanga Samgraha (Saroj Hindi commentary). Ravi Dutt Tripathi, editor. 1st edition. Delhi: Chaukhamba Sanskrit Pratishthan; 2001. Sutra sthana, 9/25. p. 192.
- Agnivesha; Charaka Samhita Charaka English commentary by R.K.Sharma, Bhagwan Dash, Choukhamba Sanskrit Series Office, Varanasi, Edition 2010 Ch. Su.26/85Page no.485.
- Shelton HM. The hygienic system: Orthotrophy, Chap. 26. Dr. Shelton's Health School; 1935.
- Brown PJ, Wright WB. An Investigation of the interactions between milk proteins and tea polyphenols. J Chromatogr 1963;11:504-14.
 Engdal S, Nilsen OG. In vitro inhibition of CYP3A4 by herbal remedies frequently used
- Lingua S, miser OC. In thormal control of 17 SAF Dyne Darlemeans inequelity used by cancer patients. Phytother Res 2009;23:906-12.
 Hidaka M, Okumura M, Fujita K, Ogikubo T, Yamasaki K, Iwakiri T, et al.Effects of
- pomegranate juice on human cytochrome p450 3A (CYP3A) and carbamazepine pharmacokinetics in rats. Drug Metab Dispos 2005;33:644-8.
- Available from: http://pvhs.org/documents/Pharmacy Services/Food and Drug Interaction. [Last accessed on 2012 Jul 02].
 Tareke E, Rydberg P, Karlsson P, Eriksson S, Törnqvist M. Acrylamide: A cooking
- Tarcine E., nyduery F., narisson F., Elinsson S., Ioningvist M. Acrylamide: A Cooking carcinogen? Chem Res Toxicol 2000;13:517-22.
 Wu SC. Yen GC. Effects of cooking oil fumes on the genotoxicity and oxidative stress in
- Wu SC, Yen GC. Effects of cooking oil fumes on the genotoxicity and oxidative stress in human lung carcinoma (A-549) cells. Toxicol In Vitro 2004;18:571-80.
 Wąsowicz E, Gramza A, Hes M, Jelen HH, Korczak J, Malecka M, et al. Oxidation of lipids
- wysowicz c, gramza A, ries M, Jelen HH, Korczak J, Malecka M, et al. Oxidation of lipids in food. Pol J Food Nutr Sci 2004;13:87-100.
- Vladykovskaya E, Sithu SD, Haberzettl P, Wickramasinghe NS, Merchant ML, Hill BG, et al. Lipid peroxidation product 4-hydroxy-trans-2-nonenal causes endothelial activation by inducing endoplasmic reticulum stress. J Biol Chem 2012;87:11398-409.
- Esterbauer H, Schaur RJ, Zollner H. Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes. Free Radic Biol Med 1991;11:81-128.
- Bhatnagar A. Electrophysiological effects of 4-hydroxynonenal, an aldehydic product of lipid peroxidation, on isolated rat ventricular myocytes. Circ Res 1995;76:293-304.
- Blasig IF, Grune T, Schonheit K, Rohde E, Jakstadt M, Hseloff RF, et al. 4-Hydroxynonenal, a novel indicator of lipid peroxidation for reperfusion injury of the myocardium. Am J Physiol 1995;269:H14-22.
- Luo X, Everovsky Y, Cole D, Trines J, Benson LN, Lehotay DC. Doxorubicin-induced acute changes in cytotoxic aldehydes, antioxidant status and cardiac function in the rat. Biochim Biophys Acta 1997;1360:45-52.
 Adam O, Beringer C, Kless T, Lemmen C, Adam A, Wiseman M, et al. Anti-inflammatory
- Adam O, Beringer C, Kless T, Lemmen C, Adam A, Wiseman M, et al. Anti-inflammatory effects of a low arachidonic acid diet and fish oil inpatients with rheumatoid arthritis. Rheumatol Int 2003;23:27-36.
- El-Seweidy MM, Hashem RM, Abo-El-matty DM. Frequent inadequate supply of micronutrients in fast food induces oxidative stress and inflammation in testicular tissues of weanling rats. J Pharm Pharmacol 2008;60:1237-42.