



ROLE OF AYURVEDA IN BREAST CANCER TREATMENT

Dr. C B Dhanraj	MD(AYU), MPH(England) CPHCE(USA) PHD, Dean of PG Studies and Professor of Kaya Chikitsa Department, Patanjali Bhartiya Ayurvedigyan Evam Anusandhan Sansthan, Patanjali Yogpeeth Phase I Haridwar, Uttarakhand, India
Dr. Tanishka	B.A.M.S Scholar, Patanjali Bhartiya Ayurvedigyan Evam Anusandhan Sansthan, Patanjali Yogpeeth Phase I Haridwar, Uttarakhand, India
Dr. Pranshu Gupta*	B.A.M.S Scholar, Patanjali Bhartiya Ayurvedigyan Evam Anusandhan Sansthan, Patanjali Yogpeeth Phase I Haridwar, Uttarakhand, India *Corresponding Author

ABSTRACT

Ayurveda, which means science of long life, is at least a 5,000-year-old system of Indian medicine (1500–1000 BC) designed to promote good health and longevity rather than to fight disease and was practiced by physicians and surgeons (called bhesaja or vaidya). Ayurveda, the holistic science has multi-targeted herbal drugs, adjuvant therapy to offer in addition to the conventional medicine in the management of Breast cancer. [1] Breast cancer is the most common malignancy among women globally and in India. The higher prevalence of advanced breast cancer (ABC) in elderly women is attributable to delayed diagnosis, lack of sufficient health care resources, Variability in disease presentation and progression and high costs for conventional treatment[2]. Cancer is a malignant growth or tumour resulting from an uncontrolled division of cells. Cancers figure among the leading causes of morbidity and mortality worldwide, with approximately 14 million new cases and 8.2 million cancer related deaths (W.H.O)[3]. Many promising remedies for breast cancer are included in Ayurveda, the Indian system of medicine. The present review concentrates on the available literature found in Ayurveda regarding plants and breast cancer.[4]

KEYWORDS :**Epidemiology**

For every two women newly diagnosed with breast cancer, one woman dies of it in India.[5][6][7]. Breast cancer in females accounts for over 50% of all cancer deaths in India[8]. Breast cancer is the most common cancer in women in India and accounts for 27% of all cancers in women[9]. The incidence rates in India begin to rise in the early thirties and peak at ages of 50-64 years[10]. Breast cancer nowadays is a common cancer among the rural Indian population with an age-adjusted rate and mortality as high as 25.8 and 12.7 per 100,000 women respectively [11]. In India, the incidence of breast cancer is increasing each year and estimation approximates 200,000 women will be affected annually by 2030 [12].

Economic Burden

The International Agency for Research on Cancer GLOBOCAN project[13] has predicted that India's cancer burden will nearly double in the next 20 years, from slightly over a million new cases in 2012 to more than 1.7 million by 2035.

Ayurvedic Concept Of Health

According to ayurveda, most diseases connected with the psychophysiologic and pathologic changes in the body are caused by imbalance in three different dosha (ie, vata, pitta, and kapha)[16]. The fundamental aim of ayurvedic therapy is to restore the balance between these three major body systems.[14,15,17-19] Any imbalance can lead to inflammation (also called sapha). The balanced coordination of body, mind, and consciousness is the ayurvedic definition of health.

Ayurvedic Approach Of Breast Cancer

Based on the descriptions of symptoms and signs of the disease condition, the following conditions can be compared with Gynecological cancers –
Kunapa granthi artavadushti, Granthibhuta artavadushti, Sannipataja pradara, Rakta arbuda, Mamsa arbuda etc.[20]

Raktarbuda is a fast growing tumour, presents with vitiated bloody discharge(Figure 1E). Mamsarbuda presents a painless, stony hard, smooth, fixed swelling, which never suppurates. Both these Arbuda are labelled as incurable. Based on the clinical features, both of these tumours can be considered as Malignancies.[21] It can involve Dhatus like Mamsa and Rakta due to vitiation of Tridosha. [22]One who lives according to Dinacharya, Nishacharya, Ritucharya as described will never suffers from severe disorders caused by environmental, seasonal, or external factors otherwise he would land up with any diseases.[23]

Pathophysiology Of Breast Cancer

Due to unbalanced diet and inappropriate behaviour . The signaling process, associated with cancer pathology, includes metabolic changes in cellular components such as aerobic glycolysis, mitochondrial DNA degradation, alteration in the electron transport chain, and epigenetic changes regulating genomic expressions, finally resulting in abnormal cell proliferation, angiogenesis, metastasis. The BRCA1 & BRCA2 genes have been identified as predisposing genes for hereditary factors for breast cancer pathogenesis. The highest incidence of breast cancer is seen in post-menopausal women [24].

The highest incidence of breast cancer is seen in post-menopausal women [24]. The majority of such tumors are fast-growing with lymph node metastasis and have triple-negative molecular subtypes[25]. Triple-negative breast cancer maintains high levels of ATPs and around 80–90 % of their energy supply comes from intracellular fatty acid beta-oxidation [26].

Malignant cells are demarcated into three stages which include initiation, promotion, and progression [27]. Oxidative stress plays a central role in all these stages. It induces DNA base modification, the rearrangement of DNA sequence, miscoding of DNA lesions, gene duplication, and the activation of oncogenes in the initiation stage. This is followed

by the promotion stage rendered by the ROS in ceasing cell to cell communication and the stimulation of the secondary messenger system.

Finally, ROS influences proliferation, apoptosis, senescence leading in the development of cancer. With progress in advance research regarding understanding the mechanism of pathogenesis and novel targets, newer treatment guidelines are emerging every year with the intention to minimize the associated adverse effects of conventional methods of treatment. The adverse effects of existing treatment modalities include nausea, loss of appetite, vomiting, stomatitis, diarrhea, constipation, bleeding piles, fever, skin, and nail discoloration [28] with an overall bad score of "Quality of life". Females taking anti-estrogen therapy experience adverse effects like vein thrombosis, cataract formation, endometrial carcinoma, menstrual disorders, and hot flushes. Targeted therapies have limitations for developing drug resistance in cancer cells [29].

Samprapti: The Ayurvedic Description Of Pathophysiology Of Breast Cancer

The samprapti (pathogenesis) occurs due to various causes, such as repeated exposure to environmental toxins, which are pitta provoking factors at the deeper cellular level. The increased pitta at the cellular level can cause micro inflammatory changes, which disturb the cellular components of agni called pilu agni and pithar agni. Due to slow pilu agni, pithar agni produces poorly formed tissue. In Ayurvedic pathogenesis, vata is the active dosha and is involved in the process of metastasis. Kapha being heavy and gross is responsible for the abnormal growth of the cells creating the malignant tumor, and the tejas component of pitta enhances the metabolic activity of the cancerous cells.

Ayurvedic Concept Of Treatment

Formulations are being used as an adjuvant along with chemotherapy and radiotherapy to overcome their toxic reactions and to improve the therapeutic efficacies. These formulations are mostly polyherbal mixtures combined with a metallic preparation, known as "Bhasma" in Ayurveda but with help of current bioinformatics tools, significant results are being published for each plants constituent in these Ayurvedic compound formulations, which are already in clinical use [30]. These formulations may normalize the function of multiple deregulated proteins found in breast cancer cells. [31]

Based on the symptoms, the chosen ayurvedic drugs for the management of breast cancer targets the agni (digestive power), vata-shamak (anti-inflammatory and anti-oxidants), and enhance ojas (immunomodulators) [32]. The treatment modalities are also associated with detoxification processes of the body by both pharmacological and non-pharmacological processes like panchkarma therapies, enhancing the process of cellular autophagy to remove the accumulated "Ama" (modified non-functional proteins). These processes inactivate the existing free radicals (superoxide, hydrogen peroxide, and hydroxyl radical), to break the chain reaction, by directly interacting (electron transfer) with them and by enhancing the endogenous antioxidant enzymes like superoxide dismutase, catalase and reduced glutathione.

Ayurvedic Treatment Included Procedures Used In Panchkarma [33]

Antioxidant Effect

This modality of treatment is a total body detoxifying procedure, particularly to eliminate toxins deeply situated in all the tissues and organs, often adopted in Ayurvedic therapy with remarkable effect. These procedures are accompanied by oil-based treatment modalities, strict diet and lifestyle practices. Apart from Panchakarma, the patient was also

treated with allied procedures such as Shirodhara and Shiropichu [34] and Pinda Sweda [35]. Shirodhara and Shiropichu are effective in stress management [36], which is considered as evident risk factor in TNBC. Pinda Sweda is a type of sudation in which a bolus of rice cooked with milk and herbal decoctions [35] is applied on the targeted part of the body such as chest region in this case. Significant improvement in the Quality of Life and progression free survival have been reported in patients including TNBC patients undergoing yearly Panchakarma treatment.

Reduction in inflammatory response based on serum cytokines, and ROS generation in erythrocytes extracts have also been studied in patients treated with Panchakarma [37]. Similarly, immunological and metabolic responses in a therapeutic course of Basti in obesity have documented modulation of immune responses by regulating pro-inflammatory cytokines, immunoglobulins and functional properties of T-cells, which are associated with a reduction in the body weight and its maintenance even after three months of treatment. [38]. Pharmacokinetic aspect of Lekhana Basti has also been analysed with the help of HPLC which suggests the absorption of phytochemicals from the Basti formulations in the systemic circulation [39].

Major molecular therapeutic targets for Breast cancer therapy

To date, 41 multitudes of genes have been identified for direct or indirect involvement of methylation in breast carcinoma and this number is continuously increasing [40]. A variety of herbs targeted at specific molecules for the prevention of breast cancer are broadly classified as an anti-inflammatory, Immune system activating, Endocrine suppressor, Tumor suppressor, Glut-1 inhibitor, Aromatase inhibitor, and Lectin containing plants. The majority of these molecular therapeutic targets have been shown to possess promising broad-spectrum anticancer activities.

Anti-Inflammatory therapeutics family

Herbs described in Table 1 suppresses Nuclear factor-kappa B (NF κ B), a transcription factor regulating the expression of various inflammatory genes, cytokine production, and cell survival [41]. These proteins have been identified as COX-2, cyclinD1, MMPs, iNOS, HER2, EGFR, BCL-2, BCL-XL, and TNF alpha. They inhibit carcinogenic activation by directly inhibiting the aryl hydrocarbon-induced CYP1A1 expression and restrain carcinogen initiation, promotion, and progression. Inhibitor of apoptosis protein (IAP1) is a class of proteins that mainly cause intracellular damage leading to cancer if mutated or improperly synchronized. These can be found in herbs and have been described in Table 1. Bcl-2 is a regulator protein that controls cell death (apoptosis) inhibited by herbs depicted in Table 1. The Inhibitor-of-apoptosis protein (cFLIP) inhibited by herbs is a master anti-apoptotic controller and resistance feature that suppresses tumour necrosis factor- α (TNF- α). Proliferative genes (cyclin D1, cMyc) inhibited by plant species are concerned with cell proliferation, leading to the formation of cancer. [42] Matrix metalloprotease (MMP-9) inhibited by plant species are thought to also play a chief role in cell behaviors such as cell proliferation, migration (adhesion/dispersion), differentiation, angiogenesis, apoptosis, and host defence [43]. Cyclooxygenase (COX-2) inhibited by plant species has been shown to reduce the incidence of cancers and pre-cancerous growths [44]. Cytochrome p450 (CYP7A1) that produce toxic metabolites that facilitate increased risks of cancer are reduced by these herbs. BCL2-related protein A1, Bfl1/A1 inhibited by plant species, act as anti- and pro-apoptotic regulators that are concerned in a wide variety of cellular activities such as embryonic development, homeostasis, and tumorigenesis [45]. Survivin protein inhibited by plants inhibits caspase activation, leading to programmed cell death [46]

CyclinD1 can guide oncogenes by rising anchorage-independent growth and angiogenesis via VEGF production. Cyclin D1- 1 inhibited by herbs controls numerous cellular processes which includes differentiation, proliferation, and apoptosis. Cyclin-dependent kinase 2 (cdc25) inhibited by some plant species controls the admission and progression of various phases of the cell cycle, as well as mitosis and S ("Synthesis") phase [47]. Apoptosis suppressor proteins such as B-cell lymphoma 2 (Bcl-2) control cell death (apoptosis), by inhibiting (anti-apoptotic) or inducing (pro-apoptotic) apoptosis. B-cell lymphoma-extra-large (Bcl-xL) inhibited by herbs acts as an anti-apoptotic protein by preventing the discharge of mitochondrial contents such as cytochrome c, which leads to caspase commencement and ultimately, programmed cell death. [48]. C-Jun N-terminal kinases (JNKs) reduced by plant species participate in T cell differentiation and the cellular apoptosis pathway. [49] Interleukin (IL-1, IL-4, IL-6, IL-8, IL12 IL-13) inhibitors present in herbs in Table1 stimulate activated B-cell and T-cell proliferation, and the separation of B cells into plasma cells. [50] Some Caspase-3 inhibitors present in herbs play an essential role in the execution phase of cell apoptosis. [51] EGR-1 (Early growth response protein 1) inhibitors present in various plant species are required for differentiation and mutagenesis. [52] Signal transducer and activators of transcription 1 (STAT1) inhibitors have the role in controlling the expressions in survival of the cell and cell viability. Peroxisome proliferator-activated receptor gamma (PPAR-γ or PPARG) inhibitors present in the herbs described in Table1 can regulate fatty acid storage and glucose metabolism. The genes activated by PPARG encourage lipid uptake and adipogenesis by fat cells [53].β catenin present in herbs is a dual function protein, resulting in the regulation and coordination of cell-cell adhesion.

Table 1 Molecular target of different plants [4]

S. No.	Molecular target	Apoptotic name	Botanical name	Relevant Apoptotic clinical uses	Classical Apoptotic References	Reference Molecular target
1.	HER2	Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
		Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
		Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
		Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
		Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
		Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
		Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
		Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
		Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
		Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor

Herbs (Table2) that reduce the HER2 receptor, a member of the human epidermal growth factor receptor (HER/EGFR/ERBB) family has been revealed to participate a significant role in the development and progression of certain aggressive types

of breast cancer [54]. Akt is a serine/threonine-specific protein kinase that acts as a mediator and plays a key role in multiple cellular processes such as glucose metabolism, apoptosis, cell proliferation, transcription, and cell migration [55]. It may be inhibited by some plant species. Proto-oncogene tyrosine-protein kinase (Src) inhibitors present in herbs promote cell survival, angiogenesis, proliferation, and invasion pathways. Janus kinase 2 (JAK2) is a non-receptor tyrosine kinase inhibited by plant species declining the fusions with the TEL (ETV6) (TEL-JAK2) and PCM1 genes [56]. Nonreceptor tyrosine-protein kinase is a type of protein which accounts for transferring a phosphate group to a tyrosine residue in proteins such as ATP, to tyrosine residues. Herbs described in Table1 inhibit different inflammatory pathways by creating an environment in which the various stages of tumorigenesis including tumour initiation, proliferation and metastasis are reduced [57]. The immune system plays a big role in breast cancer management. It not only destroys cancer cells or inhibit their growth but also promotes tumour progression and metastasis [58]. The increase in the levels of ascorbic acid, glutathione, tocopherol (Vitamin E), and the decrease in malondialdehyde provides evidence of free radical scavenging activity and antioxidant effects of different herbs is presented in Table 2 [59] Mitogen-activated protein kinases (MAPK) is a chain of proteins in the cell that communicates a signal from a cell surface receptor to the DNA in the nucleus of the cell [60]. The process starts when a signaling molecule binds to the current cell surface receptor and ends when the DNA in the nucleus expresses a protein and produces some change in the outward behaviour or appearance in the cell. Signal transducer and activator of transcription 3 (STAT3) are transcription factors that mediate cellular responses to a range of cytokines and growth factors encoded by the STAT3 gene in humans.

Table 2 Molecular targets of different plants used to activate immune cells potential in Breast cancer [4]

S. No.	Molecular target	Apoptotic name	Botanical name	Relevant Apoptotic clinical uses	Classical Apoptotic References	Reference Molecular target
1.	HER2	Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
2.	HER2	Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
3.	HER2	Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor

Endocrine therapy for breast cancer

There are two types of endocrine therapy for breast cancer like drugs that stop estrogens and progesterone from helping breast cancer cells grow and drugs or surgery to keep the ovaries from making the hormones. Hormones like prolactin, progesterone, and estrogens are important in the regulation of breast cancer growth.

The third generation Aromatase inhibitors target their action in order to reduce the production of estrogen in postmenopausal women. Aromatase is the enzyme that catalyzes the conversion of the hormone androgen into small amounts of estrogen which circulate continuously in the body. This means that fewer estrogens stop the growth of hormone-receptor-positive breast cancer cells [61]. Plant species described in Table 3 suppress breast cancer cell proliferation.

Table 3 Molecular targets of different plants used for endocrine potential in Breast cancer [4]

S. No.	Molecular target	Apoptotic name	Botanical name	Relevant Apoptotic clinical uses	Classical Apoptotic References	Reference Molecular target
1.	HER2	Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
2.	HER2	Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
3.	HER2	Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor
4.	HER2	Aglycoside	Aglycoside	HER2 inhibitor	HER2 inhibitor	HER2 inhibitor

Tumor suppressor receptor family for breast cancer

The potential herbs used to prevent the growth of cancer cells have been well documented in Table 4. The Indole- 3 carbinol is a bioactive component converted to a series of oligomeric products (among which 3,3' -diindolylmethane is a major component) supposed to be responsible Table for its biological effects in vivo. Indole- 3 carbinol present in cardamom has been shown to reduce the growth of various tumour cells, as well as those from breast, prostate [62] endometrial, and colon cancers and leukemia, induce G1/S cell-cycle arrest, and induce apoptosis [63] . The cell-cycle withdrawal involves the downregulation of cyclin D1 activities which inhibits cyclin E, associated CDK2, CDK4, and CDK6 activities, and up-regulation of the expression of p15, p21, and p27. Treatment with Indole- 3 carbinol inhibited the antiapoptotic gene products, including the expression of Bcl-2, Bcl-XL function, surviving expression, IAP cell death regulator, X-linked inhibitor of apoptosis inactivation, and caspase8 inhibitory protein in cells, resulting in up-regulation of the pro-apoptotic protein Bax, the release of mitochondrial cytochrome c which activates caspase-9 and caspase-3 pathway [64] .This agent inhibits the activation of various transcription factors in various cells NF- B expression, SP1 mediated activation, estrogen receptor domains, the binding of the androgen receptor function, and nuclear factor-E2-related factor 2 protein-coding gene. This indole involves the effects of TRAIL signaling through the induction of cell death receptors and synergizes with standard chemotherapeutic agents by inhibiting the expression of Pglycoprotein (P-GP). In in vivo studies, Indole- 3 carbinol was found to be a well-recognized chemopreventive agent to minimize the effects of hormone-dependent cancers, such as breast and cervical cancers [64]. These effects aggravate its skill to induce apoptosis, slow down DNA-carcinogen adduct formation, repress free radical production, kindle 2-hydroxylation of estradiol, and inhibit tissue invasion and angiogenesis. Early clinical trials in women have shown that Indole3 carbinol is a notable agent against breast and cervical cancers [64]

Table 4: Molecular targets of different plants having tumour suppressor potential in breast cancer [4]

No.	Molecular target	Ayurveda name	Botanical name	Relevant Ayurveda classical use	Activity on breast cancer	Classical Ayurveda reference	Reference molecular target
1.		Ajapa	Brassica juncea (L.) Czern.	Solely (suppressor of inflammation)	Multiple anti-tumour effect	GN 13112	Alcander et al., 2016
2.		Aasi	Curcuma longa L.	Solely (suppressor of inflammation)	Induces cell death proliferation	CS.G.25.51	Jay et al., 2017
3.	VEGFR-2, EGFR, IGF-1R, PDGFR, JAK2, SRC, RAS, PI3K, MEK, ERK, GSK3, p38, p42, p44, p53, p21, p27, p29, p30, p35, p37, p39, p40, p42, p44, p46, p53, p57, p63, p70, p75, p80, p85, p90, p95, p105, p110, p115, p130, p135, p140, p145, p150, p155, p160, p165, p170, p175, p180, p185, p190, p195, p200, p205, p210, p215, p220, p225, p230, p235, p240, p245, p250, p255, p260, p265, p270, p275, p280, p285, p290, p295, p300, p305, p310, p315, p320, p325, p330, p335, p340, p345, p350, p355, p360, p365, p370, p375, p380, p385, p390, p395, p400, p405, p410, p415, p420, p425, p430, p435, p440, p445, p450, p455, p460, p465, p470, p475, p480, p485, p490, p495, p500, p505, p510, p515, p520, p525, p530, p535, p540, p545, p550, p555, p560, p565, p570, p575, p580, p585, p590, p595, p600, p605, p610, p615, p620, p625, p630, p635, p640, p645, p650, p655, p660, p665, p670, p675, p680, p685, p690, p695, p700, p705, p710, p715, p720, p725, p730, p735, p740, p745, p750, p755, p760, p765, p770, p775, p780, p785, p790, p795, p800, p805, p810, p815, p820, p825, p830, p835, p840, p845, p850, p855, p860, p865, p870, p875, p880, p885, p890, p895, p900, p905, p910, p915, p920, p925, p930, p935, p940, p945, p950, p955, p960, p965, p970, p975, p980, p985, p990, p995, p1000	Ajapa	Curcuma longa L.	Granthi (cyt)	antiproliferative effect	MS757	Gandhi and Thirumangalakudi, 2013
4.		Dakshina	Vitex rotundifolia L.	Granthi (cyt)	Cytotoxic agent	BC.1181	Agarwal et al., 2014
5.		Adaka	Zingiber officinale Roscoe	Solely (suppressor of inflammation)	Suppresses breast cancer growth	CS.C12.49	Ajapa and Sarkar, 2015
6.		Aswagandha	Withaniamajolica (L.)	Granthi (cyt)	Induces cell death	CS.G.22.123	Jain et al., 2013
7.		Gopa	Albizia procumbens L.	Solely (indole)	Induced cell viability	BC.14.47	Shah and Senapati, 2011

Aromatase-inhibitors for breast cancer

less estrogen stops the growth of hormone-receptor-positive breast cancer cells [61]. Aromatase inhibitors can interfere with estrogen binding sites to encourage the growth of ER-positive breast cancers [61]. Plant species depicted in Table 5 may inhibit aromatase using a microsomal assay.

Table 5 Molecular targets of different plants used to inhibit Aromatase enzyme in Breast cancer [4]

No.	Molecular target	Ayurveda name	Botanical name	Relevant Ayurveda classical use	Ayurveda Activity on breast cancer	Classical Ayurveda reference	Molecular target reference
1.							Das and Vatsyay, 2014
2.	GLUT-1						Das and Vatsyay, 2014
3.		Harada	Curcuma longa L.	Vinayaga (antiproliferative)		SS.C1.11.9	Datta and Jaiswal, 2014
		Dakshina	Curcuma longa L.	Solely (suppressor of inflammation)	Modulates glycolytic enzymes	CS.C1.23.205	
		Dakshina	Vitex rotundifolia L.	Granthi (cyt)		VD.13.18	

GLUT-1 inhibitors

The medicinal plants depicted in Table 6 are known to modulate glycolytic enzymes , cancer cells that use glycolysis to meet their energy needs are highly dependent on the glycolytic pathway and prefer glucose fermentation over mitochondrial oxidation, even under aerobic conditions [65]

Table 6 Molecular targets of different plants used to inhibit GLUT-1 in Breast cancer [4]

No.	Molecular target	Ayurveda name	Botanical name	Relevant Ayurveda classical use	Ayurveda Activity on breast cancer	Classical Ayurveda reference	Molecular target reference
1.		Dakshina	Vitex rotundifolia L.	Solely (suppressor of inflammation)	Induces cell death	VD.13.18	Natarajan et al., 2014
2.		Harada	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	
3.		Kakhi (ashoka)	Emmenanthe indica L.	Granthi (cyt)		VM.41.47	
4.		Kakhi (ashoka)	Emmenanthe indica L.	Granthi (cyt)		VM.41.47	
5.		Harada	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	
6.		Harada	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	
7.		Harada	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	
8.		Dakshina	Vitex rotundifolia L.	Solely (suppressor of inflammation)		SS.P.427	
9.		Adaka	Zingiber officinale Roscoe	Solely (suppressor of inflammation)		SS.P.427	
10.		Adaka	Zingiber officinale Roscoe	Solely (suppressor of inflammation)		SS.P.427	

Lectin containing plants

Evidence indicates that selective overexpression and activation of epidermal growth factor receptors and Src regulates oncogenesis in triple-negative breast cancer [66] . AnnexinA2 (Anx2) membrane deposition plays a critical role in epidermal growth factor in tumour invasion and metastasis in breast cancer cells [67]. The medicinal plants containing lectin are depicted in Table7.

Table 7 Molecular targets of different plants used for Lectin in Breast cancer [4]

No.	Molecular target	Ayurveda name	Botanical name	Relevant Ayurveda classical use	Ayurveda Activity on breast cancer	Classical Ayurveda reference	Molecular target reference
1.		Nana	Adiantum andrographolites	Granthi (cyt)		CS.C1.10.29	Das et al., 2016
2.		Janaka	Curcuma longa L.	Vinayaga (antiproliferative)		VD.13.18	Datta et al., 2016
3.		Dakshina	Vitex rotundifolia L.	Solely (suppressor of inflammation)		SS.P.427	Patel et al., 2012
4.		Janaka	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	Das et al., 2016
5.		Janaka	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	Das et al., 2016
6.		Janaka	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	Das et al., 2016
7.		Janaka	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	Das et al., 2016
8.		Janaka	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	Das et al., 2016
9.		Janaka	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	Das et al., 2016
10.		Janaka	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	Das et al., 2016
11.		Janaka	Curcuma longa L.	Vinayaga (antiproliferative)		SS.P.427	Das et al., 2016

Future Directions In Ayurvedic Medicine For Breast Cancer

Medicines having combinations of metals/minerals and herbs have an edge over herbal and polyherbal medicines being fast acting in low doses and having a better shelf life [68] .These include heavy metals such as mercury, lead, arsenic, and poisonous herbs which are included under the Schedule-E1 of the Drug and Cosmetic Act of 1940. Nanometals are also used in these formulations which include gold [69] , silver [70], arsenic[71] and others. These have been found to exert an effect on cancer through different mechanisms. There seem to be substantial similarities between Ayurvedic nano bhasmas and green nanotechnology using scientifically verifiable modern tools (Chanda N et al., 2011) Ayurvedic bhasma is nothing but traditionally synthesized nano-metal particle [72]. The practice of integrative medicine by combining Ayurveda and modern medicine needs to be implemented and scientifically validated. It is urgently needed to support various theories used in these dosage-forms with source identification, standardization of process, quality control measures, standardization, and increased clinical studies to make it universally reliable and relevant as a medical modality. The preclinical in vitro and in vivo investigations in breast tumour bearing mice demonstrated that the nano-Ayurvedic bhasmas are safe and show excellent efficacy in the management of human breast cancer in a dose-dependent fashion [69]. Several researches have confirmed the fact that the phytochemicals used in Ayurvedic nano bhasma preparation are indeed electronrich antioxidants and that the interaction of Nano bhasmas precursors with

phytochemicallyharnessed electrons produced herb/ phytochemicals-encapsulated, well- defined, nanoparticles. Combinations of herbs and nano ayurvedic bhasma that are effective on initiation, proliferation, and metastasis of tumour cells can prove to be a safe, cost-effective futuristic remedy for treating breast cancer.

Table 8: Molecular targets of different ayurvedic nano bhasmas used for Breast Cancer [4]

Sr.	Herb/ Nano Bhasma	Target	Molecular Target	Reference
1.	Amalaki (Emblica officinalis)	Antioxidant	ROS, DNA damage	[11,12,13,14]
2.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[15,16,17]
3.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[18,19,20]
4.	Amalaki (Emblica officinalis)	Anticancer	ERK1/2, Akt, NF-κB	[21,22,23]
5.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[24,25,26]
6.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[27,28,29]
7.	Amalaki (Emblica officinalis)	Anticancer	ERK1/2, Akt, NF-κB	[30,31,32]
8.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[33,34,35]
9.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[36,37,38]
10.	Amalaki (Emblica officinalis)	Anticancer	ERK1/2, Akt, NF-κB	[39,40,41]
11.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[42,43,44]
12.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[45,46,47]
13.	Amalaki (Emblica officinalis)	Anticancer	ERK1/2, Akt, NF-κB	[48,49,50]
14.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[51,52,53]
15.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[54,55,56]
16.	Amalaki (Emblica officinalis)	Anticancer	ERK1/2, Akt, NF-κB	[57,58,59]
17.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[60,61,62]
18.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[63,64,65]
19.	Amalaki (Emblica officinalis)	Anticancer	ERK1/2, Akt, NF-κB	[66,67,68]
20.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[69,70,71]
21.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[72,73,74]
22.	Amalaki (Emblica officinalis)	Anticancer	ERK1/2, Akt, NF-κB	[75,76,77]
23.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[78,79,80]
24.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[81,82,83]
25.	Amalaki (Emblica officinalis)	Anticancer	ERK1/2, Akt, NF-κB	[84,85,86]
26.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[87,88,89]
27.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[90,91,92]
28.	Amalaki (Emblica officinalis)	Anticancer	ERK1/2, Akt, NF-κB	[93,94,95]
29.	Shilajit	Anticancer	ERK1/2, Akt, NF-κB	[96,97,98]
30.	Haritaki (Terminalia chebula)	Anticancer	ERK1/2, Akt, NF-κB	[99,100,101]

Abbreviations of Classical Ayurvedic references: AH: Ashtanga hridaya; BP: Bhavprakash; BS: Bangasena; CD: Chakradutta; CI:Chikistha sthana; CS: Charak Samhita; GN: Gada nigraha; Ka: Kalpa sthana; RM: Rasa martanda; Sa:Sharira sthana; SB:Siddha bhesjya manimala; SG:Sharangdhar Samhita; Si:Siddhi sthana; SS:Susruta Samhita; Su:Sutra sthana; VD:Vaidya manorama; VJ:Vaidya jivana; VM:Vrinda madhav; MN:Madhav Nidan.[32]

Concept Of Panchkarma In Treatment Of Breast Cancer

The words Panchakarma mean "five actions" or "five processes". Panchakarma is a complete detoxification program that utilizes food, herbs, oils, simulative therapies to eliminate morbid or toxic matter from the elimination channels of the body, followed by rejuvenating therapies that restore balance and health. Cleansing the cellular microenvironment allows the natural healing mechanisms of the body to restore functional balance to the physiology of each cell. a natural purification treatment can successfully eliminate environmentally toxic substances such as polychlorinated biphenyl (PCBs) and pesticide from the body, without damaging side effects. A study of institute of Science, Technology and public policy at Maharshi University of Management in Fairfield, Iova in collaboration with a special laboratory at Colorado University demonstrated that classical Panchakarma treatment eliminate up to 50% of detectable toxins in the blood. [73]

Aim Of Panchkarma Treatment

Aim of Panchakarma treatment is to cleanse & detoxify body, increase immunity & thus to restore health. In many Cancer patients, it helps to reduce sufferings, minimize side-effects of

Chemotherapy & Radiotherapy. It also helps to prevent recurrence of Cancer. All disease occurs due to suppression and forceful expulsion of natural urges. Panchakarma is the best treatment for the diseases caused by suppression of natural urges[74]

Treatment Protocol Of Cancer

Natural therapies such as Ayurveda, make use of plant-derived products in cancer treatment, which may reduce adverse side effects. This traditional Indian medicine of plant drugs has been successfully used in cancer treatment through various Panchakarma procedure from ancient time. [75] The other type of curative therapy is called samana chikitsa, which pacifies dosha and gradually relieves the disease. However, this treatment is prescribed only to weaker patients for whom sodhana chikitsa is contraindicated. In Rasayana prayoga (immunotherapy), certain poisonous plants, mercury like metals and animal products were rendered non-toxic and harmless by the use of alchemy and are used as rejuvenating drugs. Other methods of treatment include, dhatwagni chikitsa (correction of metabolic defects), vyadhipratyanika chikitsa (specific anti-cancerous drugs) and lakshanika chikitsa (symptomatic treatment). [76]

Pre – Procedures (Purvakarma)

Deepana (digestion of Ama), Pachana (separation of Dosha from Dhātu), Snehan and Swedana the Dosha should be expelled from nearest route at proper time according to the strength of Roga and Rogi. [77]

Snehana (Internal and external oleation) Antioxidant properties,it reduces ROS in the body

Swedana is sudation or sweating and is given every day, immediately following the snehana.

Swedana liquifies the toxins and increases the cellular metabolic activities.

Main Procedure (pradhana Karma)

Panchakarma is activating the bodies selfhealing ability but also calm the Doshas and Gunas including removing of aggravated Doshas and toxins from the body. If a patient underwent chemotherapy and radiotherapy it is beneficial for both body and mind. After Panchakarma therapy Rasayana should be given prescribed along with immune-modulators and antioxidants (Withania, Ginger, Podophyllum hexandra, Amla, Guduchi, Curcumin etc.). [78,79,80]

Pradhana Karma (Main procedures)-

Inducing vomiting (Vamana) :
Appropriate Condition :- Kapha dominating symptoms in Cancer.

Inducing Purgation (Virechana) :
Appropriate Condition:- Pitta dominating symptoms in Cancer.

Medicated enema (Basti) :
Appropriate Condition:- Vata dominating symptoms in Cancer.

Nasal Medication to eliminate the Doshas (Nasya) :
Appropriate Condition:- Kapha&Vata dominating symptoms in Cancer.

Blood letting (Raktamokshana) :
Appropriate Condition:- Symptoms of vitiated Pitta & Rakta in Cancer.

Vamana Karma and its scientific explanation

The principle of Vamana drug taken orally is absorbed from

the stomach into circulatory system, where from it is circulated to all over body. On reaching at the site of lesion (Doshā Sanghata), which is at the cellular level, it breaks the nexus of Doshā and brings back the toxic substance thus released into the stomach, where from they are expelled out the body by the action of Vamana. The smaller molecules thus formed can be driven out of the cell due to the normal function of the cell or by the action of drug thus the cell is freed from the harmful substance leading to the cure of the degeneration. It will increase the permeability of the capillaries of the stomach, which in the beginning facilitates the absorption of the active principles of the drug and later on facilitates the excretion of the toxins and metabolites into the stomach where from they are thrown out of the body by the process of the Vamana. [81]

Virechan karma and its scientific explanation

It is the process of purgation via anal route. that Ayurvedic Shodhana are mild irritant to the stomach and the intestinal mucosa respectively, to cause inflammation. Due to this the permeability of the membrane changes and those substance come out due to changed permeability. This medically produced mild inflammation facilitates quick absorption of the active principles (Virya) of the drug in initial stage to be excreted out through the mucosa of the gut. Exudation is increased passage of protein rich fluid through the vessel wall, in the intestinal tissue. The advantages result of fluid increases is dilution of toxins.

Nitric Oxide (NO) also involved in stimulation of intestinal secretion via prostaglandin and cyclic-GMP- dependent mechanism, in addition, NO may inhibit segmenting contraction in the colon, promoting laxation. A variety of laxatives both osmotic and stimulant have been found increase the activity of NO synthesis and to increase the biosynthesis of PAF in the gut. [82]

Basti Karma and its scientific explanation

It not only cure Vatika disorders but also Samsarga and Sannipata condition of Doshā, Kaphaja and Pittaja disorder, Shakhagata and Koshthagata Roga by combination of different types of Basti Dravya.[83] As per the contemporary view, in last part of intestine, digestion occurs through bacterial action and no enzymes are secreted by colon. These beneficial bacteria or micro flora mainly resides in colon synthesize vitamin K, B and convert indigestible or partially digested saccharides (e.g. Lactose) into short chain fatty.[84]

Colon normally absorbs 12 liters/day but is capable of absorbing almost 6 liters/day. Various nutritive end products are absorbed from the mucosa of gastrointestinal tract mainly through the Na⁺ channels and other ion channels. The absorptive capacity of the mucosa of the large intestine is great, Na⁺ is actively transported out of the colon, and water follows the osmotic gradient thus generated. Although the rectum is not a usual site for absorption of indigested nutrients, drugs introduced by rectum may be absorbed there. Thus, drugs introduced by this route may have systemic effects as well as local effects. Drugs absorbed into external hemorrhoidal veins (above 50%) by passes liver but not that absorbed into internal hemorrhoidal veins. Colon mucosa under the effect of medication can be made to absorb the unusual substances also.[85]

Nasya karma and its scientific explanation

The drug administered through nose as Nasya reaches the brain and eliminates only the morbid Doshā responsible for producing disease because nose is the gateway of head. [86] Nasya not only beneficial for Upper body part diseases but also for some systemic disease such as Cancer, Kampvata Pumsvana etc.[87]The mode of action of the drug is a most complex phenomenon and at times it becomes difficult to pin point the therapeutic action in a very precise and scientific

manner. Some of the hypothetical views by research workers are mentioned as (i) through the general and specific blood circulation, (ii) through the lymphatic channels including CSF (iii) through the neuroendocrinal and Neurovascular stimulations. These lipid soluble substances also gain in to the lymphoid tissue. Thus, a rapid circulation through the lymphatic channels is a positive phenomenon, on other hand, the extended arachnoid sleeve from the brain to the absorption of drug material directly to nose. It has been observed that the experimental administrations of the contraceptive hormones in the animals were found to be of higher concentration in the CSF and their concentration was equal with the intravenous infusion of the same drug. The Olfactory nerve functions by mean of Chemoreception. The chemical characteristics of the practical that has reached to the nose will be identified by nerve which carries the stimuli to the Olfactory bulbs. Further, the massage will be carried out to the highest centres probably involving the hippo campus, limbic system, hypothalamus etc.

Nasya Karma is also said to influence upon the neuro vascular functioning which may help in better drug availability to the brain.[88]

Post Procedure (paschat Karma)

Immediately after Panchakarma, Digestion Power (Jatharagni) becomes weak. To improve it slowly, the patient should follow special diet regime i.e. Samsarjana Krama. It lasts for 3 to 7 days. It contains-Thin rice gruel (Peya), Thick rice gruel (Vilepi), Plain bean soup (Akruta Yusha), Medicated bean soup (Kruta Yusha), Plain non-veg soup (Akruta Mansarasa),

Medicated non-veg soup (Kruta Mansarasa). The general rule is that the aggravated Doshas should be eliminated by the nearer path in the body. Thus, a specific type of Panchakarma has to be done in specific type of Cancer under the guidance of experienced physician. [89]

Cystogrit Diamond

Description In Classical Texts

Cystogrit Diamond was formulated using heerak bhasma as an important ingredient. It makes this medicine very effective against various tumors. Bhava prakasha mentions Kanchnar under Guduchyadi varga. This drug has astringent taste and light and dry qualities. It has katu vipaka. It is cold in potency and pacifies Kapha and pitta doshas. By its prabhav, it is Gandamala nashana, curing thyroid disorders. This drug has the ability to cure tumors located at various parts of the body.

Bhava prakasha has mentioned Haridra under Hareetakyadi Varga. It has pungent and bitter tastes. It possess quality of dryness and is hot in potency. It pacifies kapha pitta doshas. It has anti-inflammatory action. It can cure blood related diseases. It has wound healing potential.

Prepared with purified realgar, purified mercury and purified Sulphur mixed with aloe vera juice and incinerated, shila sindoor, Mukta shukti pishti useful in gastritis and cancer. Moti pishti can alleviate mano doshas. It is prepared by taking mukta bhasma and triturate with rosewater. Tamra bhasma may cure anemia, kapha-pitta roga and cancer. Heerak bhasma pacifies all three doshas. It is effective in respiratory ailments.

Scientific Evidence Of Cystogrit Diamond

In a research study conducted by Patanjali Research Foundation, the therapeutic potential of Cystogrit Diamond against leukemia was deciphered. The study determined the potential of Cystogrit Diamond in inducing differentiation therapy in leukemia cells. The commercially available leukemia-derived immortalized cell lines were utilized to

study the anti-leukemic effects of Cystogrit Diamond. Treatment of Cystogrit Diamond in both the cell lines, HL60 and K562 induced drastic nuclear morphological changes indicating the induction of differentiation in the leukemic cell lines. Giemsa staining demonstrates modulations in nuclear shape and segmentation of both cell line models used in the study, K562 and HL60 cells when treated with Cystogrit Diamond. Surface membrane proteins, known as cluster of differentiation (CD markers) help biomarkers in assessing differentiation in leukemia cells. In HL60 cells, Divya Cystogrit showed a significant rise of 11% CD11b and CD14 positive cells. Interestingly, K562 showed a much higher rise compared to HL60. CD11b positive cells increased by 16% whereas CD41 positive cells increased by ~ 33%. In addition, Cystogrit Diamond also modulates the transcription factors and associated genes that regulate differentiation in haematopoietic cells.

Cystogrit Diamond treatment in HL60 and K562 induced changes in the gene expression levels of CD61, NFE2, CD41 and CCAAT-enhancer-binding proteins a (C/EBPa). Collectively, this study has identified therapeutic potential in Cystogrit Diamond for the treatment of leukemia. For phytochemical study, Reverse Phase Ultra High Performance Liquid Chromatography (RP UHPLC) was developed. The study confirms the presence of 5-hydroxy methyl furfural (5-HMF), vanilic acid, ferulic acid, at 270 nm wavelength and bisdemethoxy curcumin, demethoxy curcumin and curcumin analysis at 420 nm wavelength on comparison with the reference standard.

Ingredients And Medicinal Uses Of Cystogrit Diamond

INGREDIENT	BOTANICAL NAME/ PREPRATION	PROPERTIES AND ACTION	USES	EACH TABLET CONTAINS
Dry extract of :				
Kanchnar (Bk)	Bauhinia variegata	Galgand, Granthi RogHar	Cures thyroid disorder and tumors	301.72mg
Haldi (Bk)	Curcuma longa	Shothaghna Vishaghna	.Anti inflammatory. Anti toxic	51.72mg
FINE POWDER OF :				
Shila Sindoor	Classical Preparation	Aruchi Galgand Har	.Taste enhancing .Cures thyroid disorders	34.48mg
Muktashukti Pishti	Classical Preparation	Raktaj Gulma Har	.Cures abdominal swellings of rakta origin	68.97mg
Moti Pishti	Classical Preparation	Pittaj Vikar Har, Kshay Rog Har	.Cures diseases caused by pitta dosha .Cures phthisis	17.24mg
Tamra Bhasma	Classical Preparation	Arbud Har, Gulma Har	.Anticancer .Cures abdominal swellings	17.24mg

Heerak Bhasma	Classical Preparation	Rasayan , Karkat Rog Har	.Rejuvenating . Anti Cancer	8.62mg
---------------	-----------------------	--------------------------	-----------------------------	--------

CASE STUDY of Ayush Cancer Conclave

In a recent case study presented in Ayush Cancer Conclave , Considering breast cancer as Sthana Arbuda (place of tumour) & since it is a Kapha Sthana, first classical Vamana (therapeutic vomiting) therapy was started. After 6 months classical Virechana was done. Then classical Vamana & classical Virechana (therapeutic purgation) procedures were repeated alternatively once in 6 months for 3 years. Totally three procedures of Vamana & three Virechana were done. Along with Urdhwa & Adhah Shodhana (internal and external cleansing process), patient was given Paneeya Kshara (liquefied alkaline ash) & other Kaphahara Ahara & Grantihara Yoga. Periodically, Mammogram & ultrasound scan of breast was done to assess the size of the breast tumour. To our surprising the breast tumour size constantly reduced & there was no spread of the disease (no metastases). Detailed treatment protocols, Shamana Aoushadhi (pacifying medicines) were given.

After three years of treatment, with repeated classical Vamana Karma, classical Virechana Karma, Paneeya Kshara & other Shamana Aoushadhi (pacifying medicines) the breast tumour which was malignant & 3.85 × 1.24 × 3.52cm before the treatment, it was reduced to 0.5cm and turned into benign cyst and also the metastatic right axillary lymph node which was measuring 2.74 × 1.45cm before treatment was reduced to 8 mm. Ayurvedic treatment in this case was very effective in reducing the size of the tumour & also arrested the spread of the disease/metastasis. Before treatment BIRADS category was VI i.e. known malignant, which after 3 years of treatment, became BIRADS category II i.e. benign findings. The results were effective & encouraging. During the course of treatment patient didn't experienced any untoward reaction or side effect, the treatment was 100% success without even any single short term or long term side effect. Above mentioned case proved that Ayurveda has got definitely major role in the management of breast cancer, but we have to understand the breast cancer & all other modern investigation reports on the basic concepts of Ayurveda like Dosha (functional energy of body), Dhatu (body tissues), Mala (waste product o body), Agni (balanced digestion), Ama (poor digestion), Strotas (macro and micro channels of body) etc. After evaluation of breast cancer classically, then we should treat it with some specific Ayurveda line of treatment (Chikitsa Sutra) for the success. Breast cancer can not be managed merely with administration of so called some anti cancerous herbal drugs. [90]

Management of cancer patients with Ayurveda [91]

Nidanaparivarjana i.e. avoidance of causative factors of the disease
 Shamanachikitsa (treatment using Ayurvedic medicines orally)
 Shodhanachikitsa (detoxification through Panchakarma therapy)
 Rasayanachikitsa (immunotherapy, rejuvenation or Kayakalpa)
 Diet & life style management
 Satvavajaya (counseling)
 Daivavyapashrayachikitsa (divine therapy), Yoga & Pranayama are also suggested as per the need and condition of the patient.

Nidanaparivarjana:

Avoidance of causative factors i.e both Aaharaja and Viharajahetu is called as Nidanaparivarjana.

Ayurveda advocates to live according our constitution, daily and seasonal rhythm – to prevent or restore the imbalance of

Doshas and Dhatus as well as enough exercises.

Practice meditation and Yoga for mental and physical relaxation, listen to harmonious music is healing and calming the mind. Try to have more Sattvic foods (vegetarian and less spicy), to balance both body and mind, respectively Doshas and Gunas. Sattvic foods consist of fresh, energizing foods as fresh fruits and (leafy) vegetables, milk, cereals, pure fruit juices, butter and fresh cheese, fresh nuts, seeds, sprouts, honey and herbal teas. No snacks or fast food and ready-to-eat meals. Avoid microwave ovens, limit meat consumption, especially red meat.

Ayurveda has always turned to nature for inspiration to practice medicine and wisely uses natural resources. [91]

Shodhana and Shamana- ShodhanaChikita:

Purification of body by Vamana, Virechana, Basti, Raktamokshana, Nasya and Kampoorna.

Aim of Panchakarma treatment is to cleanse & detoxify body, increase immunity & thus to restore health. In many Cancer patients, it helps to reduce sufferings, minimize side-effects of Chemotherapy & Radiotherapy. It also helps to prevent recurrence of Cancer. [91]

Treatment (Chikitsa) of Cancer

Mitigating all the three doshas (Tridosh – Shamak) according to dominance of doshas.

Dhatvagni- Deepan:- Improving Metabolic activities (dhatvagni) especially Rasa – Rakta and Mansa dhatvagni.

Controlling Dhatugataavastha:- (The nature of doshas of embedding in deeper & deeper tissues and vitiating them)

Prevention of DhatupakaAvastha:- By Pittashamaka & Raktaprasadaka treatment.

Rejuvenation to affected organ (Rasayana):- Depending upon strength of the patient and vitiated doshas.

Panchakarma (ShodhanaChikitsa) eliminates the vitiated doshas from the body.

Shamana Chikitsa:

To subside the symptoms of elevated Doshas with the help of drugs is called as Shamana. Many Ayurvedic plants and minerals are used for the treatment of Cancer. Extensive researches during the last 30 years have revealed much about the biology of cancer. Drugs used to treat most cancers are those that can block cell signaling, including growth factor signaling (e.g. epidermal growth factor); prostaglandin production (e.g. COX-2); inflammation (e.g., inflammatory cytokines: NF-kappaB, TNF, IL-1, IL-6, chemokines); drug resistance gene products (e.g., multi-drug resistance); cell cycle proteins (e.g., cyclinD1 and cyclin E); angiogenesis (e.g., vascular endothelial growth factor); invasion (e.g., matrix metalloproteinases); antiapoptosis (e.g., bcl-2, bcl-X(L), XIAP, survivin, FLIP); and cellular proliferation (e.g., cmyc, AP-1, growth factors). Numerous reports have suggested that Ayurvedic plants and their components mediate their effects by modulating several of these recently identified therapeutic targets. [92] Shallaki has shown some promising effects in management of pain. [93]

Most of the synthetic chemotherapeutic agents available today are immunosuppressants, cytotoxic, and exert variety of side effects that are particularly evident in cancer chemotherapy. Botanical based immunomodulators are often employed as supportive or adjuvant therapy to overcome the undesired effects of cytotoxic chemotherapeutic agents and to

restore normal health. Some drugs which are anti-cancerous are Haridra, Amlaki, Shatavari, Kalmegh, guduchi, Bhallataka, Ashwagandha, guggulu etc.

Rasayana:

Rasayana is an exclusive concept stated in Ayurveda. Rasayana is one among the eight clinical specialties of Classical Ayurveda (Ashtanga Ayurveda). It is not only a drug therapy but is a specialized procedure practiced in the form of rejuvenative recipes, dietary regimen and special health-promoting conduct and behavior (AcharaRasayana). Rasayana comprehends all the modalities of Health Care i.e., Preventive, Curative, Eliminative, Restorative, Behavioral, Pharmaceutical, Dietetic and so on. Mode of action of this therapy is specific in increasing the life span, significant improvement in quality of life and prevention of disease.

Benefits of Rasayana in cancer patients

Easy Oral mode of drug administration.

Reduces disease symptoms.

Significantly improves patient's Quality of life.

Helps in Tumor regression.

Increases survival period in all types of cancer patients.

Prevents the progression of disease.

Significantly reduces the risk of relapse in cancer survivors.

Shows very significant action in reducing the side effects of Chemotherapy/Radiotherapy.

Neuro-endocrine theory also known as Programmed cell death theory, postulates that all somatic cells have a built in biological clock, or a genetically controlled life span, after which they would die, no matter how favorable circumstances are. Immunological theory states that mutated cells stimulate immunological reactions within the organism and these reactions themselves degrade and eventually destroy the organism. Evidence from these theories of ageing supports the potential role of Rasayana, as it shows the multiple actions on different systems of the body by modulating the Psycho-Neuroendocrine-Immune systems. [94,95]

Diet & life style management-

In case of a loss of appetite, eat a number of small meals instead of three large meals. Drink a little bit more before and after meals. Avoid cold foods as they suppress digestive fire. If solid foods cause problems, replace them with nutritious soups. Use herbs to boost the immune system. In case of nausea use ginger. Choose predominantly plant based diets rich in fruits and vegetables. Restrict the intake of red meat (beef, pork etc.) and preserved meat. Eat satvik and biologically fresh fruits and vegetables.

Say no to snacks and fast food. Reduce the use of microwave oven for cooking. [96]

Satvavajaya (counseling):

Stress and anxiety go hand in hand in cancer patients.

Typically, people approach problems in one of two ways-

Actively working on them

Avoiding them

In general, active coping works better and is healthier.

Active ways to manage stress : [97]

Take break from news about pandemic on social media.

Stay in touch with people who can provide emotional and other support.

Take time to do relaxing activities you enjoy like cooking, yoga etc.

Focus on nutritious diet

Daivavyapashrayachikitsa (divine therapy), Yoga & Pranayama:

Yoga is basically preventive life sciences and helping the patients understand their condition finding the root causes of the problem and creating a healthy opportunity for them to

change themselves. The chronic diseases are spreading very fast as epidemic putting a break for this epidemic is today's need. This can be done by health promotion through healthy diet and of simple, cheap and cost effective measures, proper management and care of the patient. Yoga, Meditation and Pranayam are century old, time tested processes, these are known to relax mind and energize the body.

Meditation-

Meditation can be useful to some people in dealing with side effects of treatment and in overcoming the sense of loss of control and to promote health and reduce the risk of recurrence.[98] Sudarshankriya and Pranayam are highlighted to induce relaxation, increase antioxidant defense and NK cell in the body. Sudarshankriya and Pranayam may have a preventive role against cancer. Both may be effective as secondary preventive measures after curative treatment of cancer and in metastatic cancer, Sudarshankriya and Pranayam may delay progression of cancer improve survival and quality of life. [99]

CONCLUSION:

Ayurveda ,the holistic science has multi-targeted herbal drugs, adjuvant therapy to offer in addition to the conventional medicine in the management of Breast cancer. This study presents a holistic approach to treat Breast cancer .

REFERENCES

- Sharma PV. Charaka samhita. Varanasi: Choukhamba Orientalia; 1981.
- Suman C, Kapil S, Bhardwaj A. Ayurveda treatment strategy in management of advanced breast cancer in elderly female- A case report with review of literature. *J Ayu Herb Med* 2023;9(2):40-42. DOI: 10.31254/jahm.2023.9201
- K. Bharathi, T. Maheswar, G. Babu, B. Pushpalatha, G.P Prasad. Review of Research on Gynecological Cancers in Ayurveda – An Update. *AYUSHDHARA*, 2016;4(3):1175-1182
- Manoj Kumar Dash, Namrata Joshi, D.N.S Gautam, Remya Jayakumar, Y.B. Tripathi, Ayurvedic supportive therapy in the management of breast cancer, *Journal of Herbal Medicine*, Volume 29, 2021, 100490, ISSN 22108033, <https://doi.org/10.1016/j.hermed.2021.100490>. (<https://www.sciencedirect.com/science/article/pii/S2210803321000701>)
- Ferlay J, Soerjomataram I, Ervik M, et al. GLOBOCAN 2012 v1.0, Cancer Incidence and Mortality Worldwide: IARC Cancer Base No. 11 [Internet]. Lyon, France: International Agency for Research on Cancer; 2013.
- Bray F, Ren JS, Masuyer E, et al. Estimates of global cancer prevalence for 27 sites in the adult population in 2008.; 2013; *Int. J. Cancer*; 132(5):1133-45; http://www.breastcancerindia.net/bc/statistics/stat_global.htm.
- National Cancer Registry Programme. Consolidated report of the population based cancer registries 1990-1996. New Delhi: Indian Council of Medical Research; 2001.
- National Cancer Registry Programme. Consolidated report of the population based cancer registries 1990-1996. New Delhi: Indian Council of Medical Research; 2001.
- Malvia et al., 2017
- Tarkang et al., 2016
- Ferlay J, Soerjomataram I, Ervik M, et al. GLOBOCAN 2012 v1.0, Cancer Incidence and Mortality Worldwide: IARC CancerBase No. 11. Lyon, France: International Agency for Research on Cancer, 2013. <http://globocan.iarc.fr> (accessed Dec 23, 2013).
- Sharma PV. Charaka samhita. Varanasi: Choukhamba Orientalia; 1981.
- Murthy KRS. Sushruta samhita (700 BC). Varanasi: Choukhamba Orientalia; 2005.
- Chopra A, Doiphode VV. Ayurvedic medicine, core concept, therapeutic principles, and current relevance. *Complement Altern Med* 2002;86:75-89.
- Murthy KRS. Astanga-Hridaya of Vagbhata. Varanasi: Choukhamba Orientalia; 2005.
- Murthy KRS. Sarangadhara samhita. Varanasi: Choukhamba Orientalia; 2001.
- Murthy KRS. Bhavaprakasha of Bhavamisra. Varanasi: Choukhamba Krishnadas Academy; 2001
- Tewari P, Ayurvediya Prasutantra evam stiroga, Part-2, Choukhamba Orientalia, Varanasi, Reprint 2004, Pp 145-146.
- Tewari P, Ayurvediya Prasutantra evam stiroga, Part-2, Choukhamba Orientalia, Varanasi, Reprint 2004, Pp 397-401.
- Bhavaprakasha Purvakhand, Dinacharya prakarana Adhyaya 5/12-13, Edited by Sri Brahmashankara Mishra, Part I, Choukhamba Sanskrit Bhavan, Varanasi, Page 108
- K. Park, Park's Textbook of Preventive and Social Medicine, Banarsidas Bhanot Publishers, Jabalpur (M.P.); 21st Edition: 2011; p:355
- Sebastiani et al., 2016
- Reddy et al., 2017
- Park et al., 2016
- Akram et al., 2017
- Falzone et al., 2018
- Abiramasundari et al., 2018
- Singh et al., 2005
- Maret, 2017
- Hatcher et al., 2008
- Vagbhat, Paradkar H (1982) *Ashtang Hridaya*. 7th ed. Varanasi: Choukhamba Orientalia; p. 223
- Vagbhat, Kunte A, Navare K, Paradkar H (1982) *Ashtangahrudayam*, 7th ed. Varanasi: Choukhamba Orientalia; pg.301.
- Trikamji J Acharya (1981) *Charak Samhita*, 4th ed. New Delhi: Munshiram Manoharlal Publishers Pvt. Ltd; pg. 89.
- Pathriki A (2019) Clinical assessment of mind relaxation effect of Jatamansi oil Shirodhara on Chittodvega (mental distress) in patients having TNBC (Triple Negative Breast Cancer). Ph.D. thesis. Tilak Maharashtra Vidyapeeth, Pune.
- Deshmukh V (2014) Effectiveness of ayurvedic treatment in alleviating side-effects of radiotherapy in patients suffering from oropharyngeal cancer and its relationship with improvement in immune status of the host. *J Clin Cell Immunol* 5:5.
- Thatte U, Chiplunkar S, Bhalerao S, Kulkarni A, Ghungralkar R, et al. (2015) Immunological & metabolic responses to a therapeutic course of Basti in obesity. *Indian J Med Res* 142:53-62.
- Auti SS, Ashok BK, Thakar AB, Shukla VJ, Ravishankar B (2011) An experimental study to evaluate the pharmacokinetic aspect of Lekhana Basti (Emaciating/Desiccating Medicated Enema). *Anc Sci Life* 31:38-43
- Sartor, 2002
- Grover et al., 2010
- Prall et al., 2010
- Farina et al., 2014
- Davies et al., 2002
- Oplerman and Kothari, 2018
- Altieri, 2010
- Yang et al., 2006
- Michels et al., 2013
- Murali and Mehrotra, 2011
- Rinco 'n et al., 1997
- Parrish et al., 2013
- Petrovic et al., 2010
- Varga et al., 2011
- English et al., 2013).
- Szymonowicz et al., 2018
- Onnebo et al., 2012
- Thomas et al., 2010
- Criscitello et al., 2014
- Sharma et al., 2019
- Morrison, 2012
- Fabian, 2007
- Singh et al., 2005
- Mazumder et al., 2016).
- Gunnink et al., 2016
- Zheng, 2012
- Al et al., 2012
- Wang et al., 2019
- Joshi et al., 2015
- Khoobchandani et al., 2020
- Chugh et al., 2018
- Khairul et al., 2017
- Pal et al., 2014
- Alternative Therapies in Health and Medicine, Sept./Oct.2002; 8(5): 93-103.
- Astang Hridayam of Shrimadvagbhata Edited with „Nirmala Hindi Commentary by Brahmanand Tripathi, Choukhamba Sanskrit Pratishthan, Delhi. Reprint, Sutra sthana, 2012; 4/22-23, 58-59.
- Poornima P, Effert H T. Ayurveda for Cancer Treatment. *Med Aromat Plants (Los Angel)*, 2016; 5: e178. doi: 10.4172/2167-0412.1000e178.
- Sonata S. The efficacy of Ayurveda drugs on Cancer (Arbuda). Workshop on cancer souvenir. Chennai: Central Research Institute for Siddha, 1986.
- Astang Hridayam of Shrimadvagbhata Edited with „Nirmala Hindi Commentary by Brahmanand Tripathi, Choukhamba Sanskrit Pratishthan, Delhi. Reprint, 2012; Sutra sthana 13/29: 188.
- Parachi Garolia, et al, From ancient medicine to modern medicine: Ayurvedic Concept of Health and their role in inflammation and cancer, *Journal of society for integrative oncology*, JSI_029.3d.21/12/06.
- Dr. Anil Kumar Mehta, Ayurveda and Cancer, *Journal PD Ayurveda Today*, 16.
- Sanskaran PS, Swelling, In: Prasad GC, Udupa KN, editors *Susrutas contribution to surgery*. Varanasi: Indological book house, 1976; 99-111.
- Patil Vasant C., Baghel M.S., Principles and Practice of Panchkarma, Choukhamba Publications, New Delhi, Edition: Reprint, 2017; 341-345.
- Patil Vasant C., Baghel M.S., Principles and Practice of Panchkarma, Choukhamba Publications, New Delhi, Edition: Reprint, 2017; 404-407.
- Agnivesha, Charaka Samhita, revised by charaka and Dradhhabala, edited by Kashinath shastri, Gnagasahaya Pandey, Choukhamba Sanskrit sansthan, Varanasi, 2007; 2: reprint, Siddhi sthana 1/39: 886.
- Agamemnon and Silbernagl, *Colour Atlas of Physiology*, 5th edition revised & expanded, Thieme Flexi book, New York, 2003; 264.
- Patil Vasant C., Baghel M.S., Principles and Practice of Panchkarma, Choukhamba Publications, New Delhi, Edition: Reprint, 2017; 500-501.
- Astang Hridayam of Shrimadvagbhata Edited with „Nirmala Hindi Commentary by Brahmanand Tripathi, Choukhamba Sanskrit Pratishthan, Delhi. Reprint, Sutra sthana, 2012; 20/1: 244.
- Patil Vasant C., Baghel M.S., Principles and Practice of Panchkarma, Choukhamba Publications, New Delhi, Edition: Reprint, 2017; 529.
- PUMSAVANA SAMSKARA: MYTH OR SCIENCE? Amin et al. *WJPR*, 2016; 4(3). ISSN:2347-4882.
- Agnivesha, Charaka Samhita, revised by charaka and Dradhhabala, edited by Kashinath shastri, Gnagasahaya Pandey, Choukhamba Sanskrit sansthan, Varanasi, 2007; 2: reprint, Siddhi sthana, 1/11, 877.
- Vivek, J1., Manikantan, Nisha.2. AYUSH Cancer Conclave 2019 Accepted Oral Papers with Abstracts.
- AYU (An international quarterly journal of research in Ayurveda) 40(Suppl 1):p S9-S34, July 2019.
- Pandey, Kuldeep & S.T. Bhagat. (2024). Concept of Cancer Treatment Modalities -A Vision in Ayurveda. Volume- 24. 10-21.

93. Hwang SS, Chang VT, Kasimis B. Dynamic cancer pain management outcomes: the relationship between pain severity, pain relief, functional interference, satisfaction and global quality of life over time. *J Pain Symptom Manage* 2002; 23(3): 190-200.
94. Shallaki For Pain Management: Shailendra Singh, S. C. Varshney & D.N.Pande 33-37 SangyahanShodh – Aug.2012, Volume. 15, No.2/ISSN 2278-8166 page 33- 37.
95. Sathya N Dornala. Multifaceted role of rasayana in cancer management. Souvenir of the 4th International seminar on complementary therapies in cancer management organized by AMC Trust, Hyderabad. Feb 2006. 14. Singh RH. The Contemporary strength of Ayurvedic Geriatrics. *Annals Ayurvedic Med.* 2012; 1(1): 22-30. 15.
96. Sharma YK, Mishra A, Mankotia R. Clinical Study on the Anabolic Potential of Brahma Rasayana in Geriatric Patients. *Annals Ayurvedic Med.* 2012; 1(3): 65-70.
97. Dr. Chavan Santosh, Granthi, Indian health Journal plus ninety one technologies.
98. American cancer society, cancer information, answers and hope 2020.
99. Subhash Sing, Research Article "Cancer In Ayurveda" International Journal Of Basic And Applied Medical Sciences, 2012 Vol.2 (3) September-December, Pp.162-165/Singh Et.Al.
100. Chopra A, Doiphode VV. Ayurvedic medicine, core concept, therapeutic principles, and current relevance. *ComplemetAltern Med* 2002;86:75–89.