



THE RATIONALITY OF *DHUPANA KARMA (FUMIGATION)* AS A PROTECTIVE MEASURE FOR NEONATAL CARE IN *KUMARAGARA* (INFANT'S ABODE AND NICU)

Subhabrata
Sarkar*

M.D. Scholar, Department of Kaumarbhritya/Balroga, Faculty of Ayurveda, IMS, BHU. *Corresponding Author

ABSTRACT After birth, a baby gets exposed to the external environment, having billions of microorganisms, but all the microbes are not harmful as most of them are commensal. However, some of them became hazardous, particularly in immunocompromised infants. So, environmental sterilization is of utmost priority for inhibiting the growth of microbes in the *Kumaragara* (Infant's Abode and NICU). In *Ayurveda*, *Raksha karma* (protective measures) is indicated for wound healing (*Vrana Upakrama*), as well as neonatal care (*Navajaata Sishu Paricharya*). Newborn care through the *Dhoopan Karma* is considered a disinfectant to prevent and cure infectious diseases. With a dynamic variation in microbial flora and emerging resistance, fumigation of *Kumaragara* with *Ayurvedic* drugs as a sterilization procedure is needed, compared to formaldehyde fumigation commonly used in hospital setups because of serious adverse effects on the human body. However, some research has shown antimicrobial properties of bioactive substances of *Dhoopan* drugs as well as their formulations, but due to lack of scientific validation and standardization of *Dhoopan* drugs, drug dosages and dispensing form of fumigating drugs, and *Dhoopan karma vidhi* (methodology) as a sterilization measure is yet not established. The present paper details the pros and cons of *Dhoopan karma*.

KEYWORDS : *Raksha Karma, Dhoopan, Sterilization, Herbal-formulations.*

INTRODUCTION:-

Navajaata shishu paricharya is an essential part of neonatal care in *Ayurveda* after establishing all vitals in a newborn baby, starting from *Pran pratyagamana* to *Rakshakarma* for newborns.

Our utmost priority is to maintain asepsis, which comes under the general care of the newborn baby right from the very beginning of the life of a child. As a protective measure, *Rakshakarma* has already been mentioned in ancient literature. Still, some of its parts, such as *Dhoopan karma*, a significant way to achieve protection from microbes, arthropods, etc., is traditionally practiced among peoples of remote area and villages. The current concept of protection from diseases caused by microbes in newborns at birth is focussed. It includes a clean umbilical cord, hands, clean surface, sterile instruments, etc., the basis for neonatal resuscitation. That is very useful in preventing neonatal septicemia and improving newborns' quality of life.

Raksha karma (~protective care) is mentioned and elaborated in our classical *Ayurvedic* texts (*Vrihatrayi*) scattered, basically with two primary purposes - prevention from onset and cure of neonatal diseases. Apart from *Vrana upakrama* (wound care), *Rakshoghna karma* has been emphasized in *Navajaata Sishu Paricharya* (Immediate care of the newborn).

Raksha and its various derived words are used predominantly in the *Vedic* literature to protect, guard, take care of, govern, keep, preserve, save, avoid, observe, and beware of evil spirits or demons.¹ *Raksha karma* (~Protective measures), a significant practice employed in *Ayurveda*. It effectively shields the infant through the physical and psychological barrier. Under this process, several medications are used to fumigate the *Sutikagara/Kumaragara* to prevent opportunistic infections and safeguard the infant.

According to WHO, 50-60% of all neonatal deaths occur within the first month of life due to poor aseptic technique practices in the labor room; of these, more than half may die during the first week of life. Recent studies on various herbal drugs mentioned in *Dhupana karma*, including their bioactive compounds, have experimentally shown antimicrobial activity and aseptic properties.

Therefore, the present review article will explore *Rakshoghna* drugs and their bioactive compounds having antimicrobial properties. A comparison and discussion of antique and currently used protective drugs/formulations, methodologies, dosages, and dispensing forms for getting ideal formulation and microbe's specific *Rakshoghna* drugs/formulation for the NICU, PICU, or Paediatric wards have been made.

MATERIAL AND METHODS

To collect the data specific to *Rakshakarma dravya* () with their properties, Bioactive substances of herbal drugs, methodologies

including methods of drug preparation, dispensing form, drug dosages, antimicrobial properties, etc., were reviewed from different research/review articles, classical textbooks by searching PubMed, Scopus, AYUSH research portals, etc.

Charaka Samhita Thoroughly Explains *Raksha Karma*-the protection of the newborn under the heading of antisepsis of clothes, bedding, etc., and aseptic methods to avoid environmental illnesses. Around the *Sutikagara* (the location of the mother after giving birth), the branches of *Adani*, *Khadira*, *Karakandu*, *Pilu*, and *Parushaka*, *Srshapa* (yellow mustard), *Atasi*, and *Tandulakan-kanika* (rice particles) should be hung. *Sarshapa*, *Atasi*, etc. should be dispersed over its floor. You should do "*Tandul Bali Homa*" twice daily, in the morning and evening. At the entrance near the door, the *musal* (pestle) should be positioned obliquely. The fire always be lit by inserting *Tinduka* and *kana-kantak* (*Ingudi*) wood in the *Sutikagara*. *Vacha*, *Kustha*, *Kshomka*, *Hingu*, *Sarshapa*, *Atasi*, *Lasuna*, *Guggulu*, and other *Rakshoghana dravyas* should be placed in a packet and put on the door, with similar *dravyas* being tied around the necks of the mother and child. Well-wisher, skilled ladies are kept alert and vigilant in the *Sutikagara* throughout the first 10 to 12 days, i.e., Baby shouldn't be left unattended. *Sutikagara* should be filled with presents and lucky things. Recitations, blessings, music, and instrument playing, along with committed, loyal, and happy people. The individual with knowledge of *Atharvaveda* carries out *Homa* or *Shanti-Patha* [the ritual of offering sacrifices in the fire] to shake mother and baby's wellness in the morning and evening.²

Sushruta Samhita:- The newborn was instructed by *Acharya Sushruta* to be wrapped in *kshauma* (linen) cloth and placed on a bed covered with soft linen. Use twigs from *pilu-badar-nimba-parushaka* to gently fan the infant. Apply a cotton tampon (*Taila pichu*) that has been impregnated with oil over the infant's head every day. *Rakshoghana dravyas* should be used for fumigation in the *Sutikagara*. The hands, feet, head, and neck should all have these *Rakshoghana* medications wrapped over them. *Tila*, *Atasi*, *Sarshapa*, and *kana* (rice particles) are dispersed throughout the *Sutikagara*. The area needs to have a firelighter. One should adhere to the *Vranitopasniya* context (management of wounded individuals).

Sushruta uses sixty ways to manage wounds (*Sasthi upakrama*). One of them is *Raksha karma* or *Rakshavidhan*. The wound should be fumigated by pain-relieving and *Rakshoghana* fumes, and protection is ensured by reciting hymns. Once more, *Sushruta* advises that the wound be fumigated using a combination of powdered *Guggulu*, *Nimba* tree leaves, *Agaru*, *Sarjarasa*, *Vacha*, *Sarshapa*, *Saindhava*, and *Ghrta*. The remainder of the *Ghrta* was then applied to the heart region and other vital areas (*marma*) of the patients. Afterwards, protective hymns should be recited to counteract the dread of evil spirits (*Raksasa*), serpent demons (*Naga*), devils (*Pishacha*), spirits (*Yaksha*), evil spirits (*Nishachara*), etc.³

Acharya Vagbhata described similar *Raksha karma* as described by Charaka; Vagbhata also mentioned the use of herbs such as *Brahmi*, *Indryana*, *Jivaka*, and *Rishbhaka* to be tied around the hands or neck of the neonates. Vagbhata also mentions the use of *balvacha*, which promotes *medha* (intelligence), *smriti* (memory), *swasthya* (health) and *ayu* (longevity) of the baby.⁴

Astanga Samgraha:-

Tie a cotton pouch containing *Hingu*, *Vacha*, *Turushka*, and *Sarshapa* on the upper frame of the door and head side of the bed (cradle) and also in the neck of the infant and mother.

Further, there is mention of *Dhupana* for baby's abode consisting of containing dried crow feathers along with *trivrt*, *vacha*, *kustha*, *sarshapa* and *little ghrta*. Additionally, Acharaya Vagbhata suggested taking precautions on the sixth night after giving birth (*SasthiRatri*). All family members and friends should stay up on the sixth night after the baby is delivered. Ancient Scholars have noted and meticulously monitored the most important period as prone for infection i.e early neonatal period which includes birth upto six days. Care of the sixth night means that early neonatal, or from birth through the first week. After one week, the incidence of infections and complication reduce, therefore the chances of survival increase.⁵

According to *Arogyakalpadruma*, *Kumaragara* should be fumigated. The horns, hooves of *Krishna*, *Saralu*, *Laya*, *Avi*-Dears and *Gandhaka* along with *Goghva* and *Sweta Sharshapa* (white mustard) are taken in equal amount, powdered and mixed with butter and heated. The fumes generated (*Dhupana*) helps to protect the child.⁶

Kashyap Samhita :- Ancient scholars have mentioned *Dhupana* in scattered manner but *Kashyap acharya* has given the utmost importance to it and created a separate chapter named *Dhupa kalpadhyaya*. In which, (Fumigatory preparations) has been listed with its specific effect. There are many preventive methods, mentioned in *Ayurveda* like *sadvritta* (Ideal regimen), *rtucharya* (Seasonal regimen), *rasayan* (Rejuvenation) and *Dhoopan* etc. Out of all above, *Dhoopan* should be specially carried out by healthcare worker to prevent nosocomial diseases to society. As per *kashyap acharya*, fumigations are illustrated to give success to physician, progeny to human beings and to cure all diseases.

There are three types of fumigations, on the basis of action, i.e. *dhupa* (Fumigation), *anudhupa* (Subsequent Fumigation) and *pratidhupa* (Antifumigation). Strong fumigation is advocated in some disease condition called as *dhupa*. Such strong fumigation may cause side effects, so it should be followed by subsequent fumigation known as *anudhupa* and if any side effect occurs, to counteract Antifumigation or *pratidhupa* should be performed.⁷

Atharvaveda	Guggula, Ajashringi for Kriminashana
Charaka samhita	Vacha, Kushtha, Kshomka, Hingu, Sarshapa, Atasi, Lasuna, Guggulu, and other Raksoghana Dravyas. Krimighana Mahakasaya (Guduchi, Karkatshringi, Hingu, Inguli, Kantakari, Twak, Nimba, Patol, Apamarga, Guggula.
sushruta samhita	Rakshoghna Gana - Guggul, Agar, Sarjrasa, Vacha, Gaura Sarshapa, Lavana, Nimba-patra, Ghruta
Kashyapa samhita	Rakshoghna Dravyas - Ghruta, Hingu, Akshata, Skin of Reptile (Snake), Siddhartak (Brassica alba), Dev Nirmalya (flowers of herbs offered to god), Akshata (unbroken rice), Sarpa-twak (shed skin snake)
Astanga hrdaya	Same as in Charaka and Brahmi, Indryana, Jivaka and Rishbhaka.
Astanga sangraha	Hingu, Vacha, Turushka and Sarshapa, containing dried crow feathers along with Trivrt, Vacha, Kushtha, Sarshapa and little Ghrta

RESEARCH ARTICLES

Various antimicrobial studies have been done to prove the efficacy of *Dhoopan* drugs for bactericidal, bacteriostatic, antifungal etc study. Moreover *Ayurvedic* pharmacodynamics of these *Dhoopan* drugs are also very significant to analyse the mode of action.

In view of neonatal abode / NICU (*Kumaragara*) *Dhoopan* in terms of sterilization, first of all we have to decide about how to collect samples from NICU from air as well as surface/floor as there is dynamic variation of concentration and type of microorganism present in each specific area of environment.

Air Sampling:-

A. Passive Method: Sample collected from air of NICU environment to evaluate microbial load, is done by **exposure agar plate**. The method opted is **settled air sampling method**, (**passive air sampling**). Nutrient agar medium enriched Petri dish (**blood agar/tryptic soya agar/ Luria Bertani [L.B.] medium**) for bacteria and **malt extract agar/potato dextrose agar** for fungi) are exposed to open air of NICU at the desired locations. After certain period of time, plates are collected by aseptic method and sent to lab for microbiological study (colony count/cfu) within 24 hrs of collection, where incubation should be done for at least 24 hrs. Two samples are taken to assess pre and post fumigation by traditional and aerosol method in total colony count of microbes present in air and 1 sample for control group by formaldehyde fumigation.

B. Active Method: active air sampling can also be done which is collected by automated air sampler, which is value of cost.

Environmental Surface Sampling:-

Surface sampling is used to collect viable as well as non-viable microorganisms from the surface. Viable refers to living microorganisms. An easy way to determine the presence of mold on a surface is to sample the surface using adhesive tape. The commonly used methods are the **swab method** and the **Gauze pad method**.

A. Swab method : Each site is sampled using a sterile cotton swab pre-moistened with 0.9% NaCl for injection. The swab is rolled back and forth over each surface three times to ensure that all sides of the swab made contact with the surface and that maximal surface area is covered. Neutralizing buffer solution must be used to keep the sample patent for longer duration.

B. Gauze pad method: A sterile 7.5 X 7.5 cm gauze pad is moistened with Mueller-Hinton broth and rubbed against the surface in the same manner as the swab.

By these methods, samples are collected from neonatal skin surface also to assess antimicrobial efficacy and skin flora.

NICU Flora And Skin Microbiota In Neonates:-

There are various microorganisms of which majority are commensal of human body, which we called as microbiome/ good bacteria. The vision of seeing the microbes has now changed. In fact imbalance in commensals lead to disease states, which we mostly found in NICU environmental surface. There are difference of microbiomes in terms of proportion in skin microbiome acc.to age. as in infant skin, firmicutes [staphylococcus, streptococcus, propionibacter] shows predominance. Microbiomes provide innate immunity to newborn as there is symbiosis between skin and skin flora. antimicrobial defense system in skin is not just a mechanical barrier. Ultimately it signals to brain-gut microbiota axis, which regulates stress responses and develops cognition as well as behavioural changes. otherwise it will lead to develop autism, ADHD, depression, anxiety in children. Various factors which leads to early colonization of microbiome: vaginal delivery, breast feeding, skin to skin contact of mother [KMC]. as studies found that there is relation between caesarean section with disturbed intestinal colonization (pathogenic organisms), NEC, celiac disease etc.¹⁵⁻¹⁹

In Vitro Antimicrobial Evaluation Of Various Dhoopan Formulations:-

Various experimental studies showed the potent antimicrobial efficacy of *Dhoopan* drugs by MIC [minimum inhibitory concentration], CFU [colony forming unit] etc, which is mentioned=

Pros And Cons In Preparing Dhoopan Formulation:-

PROS	CONS
1. Easy availability of raw drugs 2. Easy to prepare dosage forms like <i>Churna</i> , <i>Kalka</i> , and <i>Varti</i> 3. Cost effectiveness 4. Non carcinogenic effect at certain concentration 5. Non-irritant in comparison to formaldehyde 6. Less toxicity	1. Organoleptic parameter= colour and odour 2. Physicochemical parameter= loss on drying, total ash value [acid soluble and insoluble], alcohol and water soluble extracts, p^h etc. (these analysis for standard fumigation guideline is still obscured) 3. Comparative efficacy of raw drug fumigation and fumigation through aerosol method by extracts.

Pros And Cons In Dhoopan Procedure For Sterilization Purpose:-

pros	cons
1. <i>Rakshoghna</i> purpose	1. There is no any standard of proper dosage of fumigating drugs .
2. Anti-microbial efficacy experimentally proved	2. No specific duration of fumigation is available
3. Dhoopan activates CNS drug delivery system via intranasal route.	
4. Related to brain gut axis	

Observation And Analysis :-

1. phytochemical study: various experimental study has been done to achieve active ingredient and chemical constituents of *Dhoopan* drugs by- **HPTLC** [high profile thin layer chromatography], **HRLCMS** [high resolution liquid chromatography mass spectrometry], **GCMS** [gas chromatography mass spectrometry], **SEM** [scanning electron microscope], **XRD** [x ray diffraction analysis] etc.

2. antimicrobial study: this is experimentally proven that *Dhoopan* has significant role in decreasing microbial load.

Ayurvedic pharmacodynamics of commonly used Dhoopan dravyas (Sumitha and Prasad, IJPSR, 2015; Vol. 6(7): 2950-2954)⁸

Dravya	Rasa	Guna	Virya	Vipaka	Karma
Guggulu	Katu, Tikta	Ruksha, Laghu	Ushna	Katu	Kusthaghna, Rasayan, Lekhan
Vacha	Tikta, Katu	Tikshna, Laghu	Ushna	Katu	Krimighna
Sarjara	Madhur, Kashaya	Ushna, Ruksha	Sita	Katu	Kandughna, Krmighna
Nimba	Tikta, Kashaya	Ruksha, Laghu	Sita	Katu	Krimighna, Kusthaghna
Ushira	Madhur, Tikta	Ruksha, Laghu	Sita	Katu	Kushthaghna
Devdaru	Kashay, Tikta	Ruksha, Laghu	Ushna	Katu	Krmighna, Kandughna

Antimicrobial studies of various Dhoopan drugs (Sabu Indu et.al.,: Potentials of Ayurveda fumigation formulations) :-

Drug	Latin Name	Research Activity
Kushtha	<i>Saussurea lappa</i>	It has antiviral potency against Hepatitis B virus for a treatment duration of 12 weeks ⁹
Nimba	<i>Azadirachta indica</i>	Neem fumes against <i>Streptococcus pyogenes</i> after 10- minute exposure showed 100% inhibition and 50% inhibition after 5-minute exposure, it also showed inhibition of <i>Staphylococcus aureus</i> , <i>Staphylococcus epidermidis</i> , and <i>Pseudomonas aeruginosa</i> under same study setting. ¹⁰ Neem leaf extract inhibits the growth of Dengue virus, type 2, a viral haemorrhagic fever related to Ebola virus
Guggulu	<i>Commifora mukul</i>	Ellagic acid has also antiviral and antibacterial Efficacy of <i>Dhupana</i> recipe containing Guggul, <i>Aguru</i> , <i>Sarjara</i> and <i>Sarshapa</i> added with <i>Lavana</i> , <i>Nimba patra</i> & <i>Ghee</i> was used for O.T. fumigation. The swab reports of O.T. were like modern technique of formalin fumigation & gave significant results ¹¹
Sarjara	<i>Shorea robusta</i>	Found the presence of very high concentration of bioactive components such as alkaloids, glycosides, phenols, tannin, steroids and terpenoids which has high antibacterial activities ¹² .
Aguru	<i>Aquillaria agalocha</i>	roots have higher antimicrobial activity against <i>Klebsiella pneumonia</i> . Dry powder of leaf and bark of <i>Aguru</i> shows activity against pathogenic bacteria such as <i>Shigella flexneri</i> , <i>Bacillus brevis</i> , yeast, dermatophytes and helminths. ¹³
Devdaru	<i>Cedrus deodaru</i>	Essential oils and ethanol extracts derived from cones, leaves and wood ,shows antiviral activity against Herpes simplex virus[HSV] type-I. ¹⁴

3. clinical study: this is the need of hour now.so we will be able to frame *Dhoopan* as an alternative sterilization purpose.

Phytochemical and antimicrobial study of Dhoopan drugs: various experimental studies showed the potent antimicrobial efficacy of *Dhoopan* drugs by MIC [minimum inhibitory concentration], CFU[colony forming unit] etc, which is mentioned=

AGURU:-According to Satapathy et al. (2009),²⁰ the heartwood of *Agaru* is abundant in flavonoids (aquisiflavoside, aquilarisin, aquilarisin, and aquilarixanthone), tannins, essential oils, resins, alkaloids (liriodenine), saponins, steroids, terpenoids, and tannins. Sesquiterpenes and 2-(2-phenylethyl)-4H-chromen-4-one derivatives are the main compounds found in *agaru* wood. Aquilarone A-I, aquiseninone A-D, tetrahydrochromone A-M, quinanone A-D, 6-methoxy-2-(2-phenylethyl)chromones, 7,8-dimethoxy-2-[2-(3'-acetoxyphenyl)ethyl]chromones, and 6,7-dimethoxy-2-(2-phenylethyl) chromones are among the derivatives of chromones. *Agarol*, *aquilochin*, α & β *agarofuran*, *norketoagarofuran*, *agarspirol*, 10-epi-g *eudesmol*, *jinkoeremol*, *jinkohol*, *kusunol*, *dihydrokaranone*, *oxoagarospirol*, *qinanol* A-F, *aquilarabietic acid* A-K, *aquilarin* B, *aquilacallane* A-B, *aquimavitalin*, *abietane ester*, *gmelofuran* *apigenin*, and 4',7-dimethyl ether are examples of sesquiterpenes (Wang et al 2018; Srivastava et al 2016).^{21,22} The chemical composition of *agaru* oil includes tetradecanoic acid, *valerianol*, *dihydrokaranone*, *vetispira-2(11)*, *agarol*, and *dihydroselinene* (Naf et al 1992, 1995).²³

Zone Of Inhibition:-

strain	Methanol soluble leaf extract	Methanol soluble bark extract	aqous leaf extract	Aqous bark extract	gentamyc in
<i>Staph.fleximenia</i>	-	-	18	15	23
<i>Bacillus brevis</i>	-	-	-	-	22
<i>pseudomonas aeruginosa</i>	-	-	15	14	-
<i>Bacillus subtilis</i>	19	-	-	15	19

JATAMANSI:- Sesquiterpenes, coumarins, iridoids, and organoids are the primary active ingredients of *V. jatamansi*. Sesquiterpenes include valerenic acid, while other derivatives include valeranone and valve-like. Additionally, lignans 8'-hydro-xypinoresinol and pinoresinol-4-o-dglucoside are examples of organoids. Erioids comprise valepotriates, such as acevaltrate, didrovaltrate, and hydroxyvalerate (isovaleryl). Among the alkaloids are chatinine, morpholine, thaliperphine, nantenine, nordelporphine, phoebine, dehydroaphine, valerine, valeriane, phenanthrene, oxoaphorphine as well. Valeriana flavonoids mostly consist of Hesperidin, methyl apigenin, diosmetin, and acacetin kaempferol, luteolin, quercetin, linarin, and luteolin. The Additional ingredients include sugar, bitter, volatile and essential oils. starch, gum, resin, extractive materials, and ketones (Yang, et.al. Patan et al., 2018; al., 2011)^{24,25}

The antibacterial activity of *V. jatamansi* rhizomes was investigated using methanol and distilled water extracts. The extended range B-lactamase that *Escherichia coli* produces *coli*, *Klebsiella pneumoniae*, and *Enterobacter aerogenes*. The inhibition with pure water and methanol was substantial. extract and is safe to take in addition to other antibiotics. The. Methanol and *V. jatamansi* distilled water extracts were assessed for their ability to combat strains of bacteria *E. coli* with *pseudomonas aeruginosa*. Of them, the hydroalcoholic extracts at 0.3–0.7 mg/ml concentrations shown enhanced antibacterial efficacy against *P. aeruginosa* and *S. aureus* by employing Soybean Casein Digest Agar in a cup plate technique. medium, and the common antibiotic employed was chloramphenicol at 1 mg/ml (Habeeb, et al., 2016).²⁶

GUGGULU:- It was discovered that *C mukul*'s volatile oil was very efficient against *Rhyzopertha dominica*, indicating that it may have a fumigant function. The extract of ethanolic extract shows bactericidal activity of *C. mukul* was highest at 5 mg/mL against *Klebsiella pneumonia* that is multidrug resistant].²⁷ 5(1-methyl,1-aminoethyl)-5-methyl is an active chemical-2-Octanone, found in the guggulu gum's methanolic extract, had strong antibacterial action against Gram-positive microorganisms and mildly active against bacteria that are Gram-negative^{28,29,30}

Pure guggul extract Tested against bacterial strains in diameter of the zone of inhibition , the negative control was ciprofloxacin. extracts of pure Guggulu to combat *Klebsiella pneumonia*, *Proteus vulgaris*, and *Pseudomonas aeruginosa*. Comparing the pure Guggulu extract with conventional Ciprofloxacin, the result shows substantial antibacterial

action against *Pseudomonas aeruginosa* and *Proteus vulgaris*. Numerous studies have demonstrated guggulu's antimicrobial properties without the need for purification. It has been determined that guggulu extract has a modest level of action against *Klebsiella pneumoniae*. Against *Pseudomonas aeruginosa*, raw guggulu showed very little action (4 mm for 10 mg/ml of *Guggul* extract).³¹ However, pure Guggul showed considerable effectiveness against *Pseudomonas aeruginosa* in the current investigation, along with an enhanced zone of inhibition. There have been no research done to assess guggul's effectiveness against *Proteus vulgaris*, but study shows maximum zone of inhibition against *proteus vulgaris*. Already The antibacterial properties of raw guggul against *Klebsiella Pneumonia* had previously been proven.³¹ However, the extract of Guggul in its pure form is resistant to *Klebsiella* and so forth.. Guggul sterones E and Z have been shown to have antimicrobial activity in addition to its other pharmacological activities, which include antioxidant, anti-inflammatory, anti-arthritis, hypolipidemic, wound-healing, cardioprotective, and thyroid-stimulating properties. constituted Despite a little lower amount of Total The Guggul sterones (E+Z) found in pure Guggul serve as the enhanced antibacterial activity may result from the existence of active phytoconstituents such as phenols, flavonoids, and alkaloids steroids, tannins, total sugars, sugar reduction, and furthermore because to a pH of acid.³²

Diameter Of Zone Of Inhibition:-

Organism	Purified Guggulu [1mg/ml]	Ciprofloxacin [5mg/ml]
<i>P. aeruginosa</i>	15	14
<i>Proteus vulgaris</i>	18	20
<i>K. Pneumonia</i>	0	19

VACHA:- Strong antimicrobial (antifungal and antiyeast) characteristics of the crude methanol extracts of *A. calamus* rhizome have been found in a recent research by Phongpaichit et al. (2005).³³ They discovered in their research that methanol extract of The rhizome had significant efficacy against filamentous fungus. IC50 values for *Trichophyton rubrum*, *Microsporium gypseum*, and *Penicillium marneffei* are 0.2, 0.2, and 0.4 mg/ml, respectively. correspondingly. But it indicated a modest amount of action against yeasts with modest activity: *Saccharomyces cerevisiae*, *Cryptococcus neoformans*, and *Candida albicans* (MIC 0.1–1 mg/ml), against bacteria (MIC 5–10 mg/ml). Extracts of *A. calamus* rhizomes obtained with dichloromethane and ethanol (Mungkornasawakul 2000; Thirach et al. 2003)^{34,35} has been reported to exhibit substantial antifungal activity. The ethanol extract of *A. calamus* inhibited clinical isolates of *C. albicans*. It is well established that the A- and B-asarones found in leaves, roots and rhizomes are responsible for almost all of the antimicrobial activities of the *A. calamus* (MacGaw et al. 2002).³⁶ Leet et al. (2007)³⁷ have recently investigated fungicidal property of *A. gramineus* rhizome (methanol extract) against phytopathogenic fungi apart from human pathogenic bacteria. They attributed these antifungal activities to the A-asarone and asaronaldehyde present in *A. gramineus*.

organism	Zone of inhibition [rhizome]	Zone of inhibition [streptomycin]	Minimum inhibitory concentration [rhizome]
<i>E.coli</i>	20	21	16
<i>Aspergillus niger</i>	25	21	2
<i>Candida albicans</i>	25	22	4
<i>cryptococcus</i>	22	18	5

DEV DARU:- The potential antibacterial and antifungal activity of the separated flavonoidal fractions (F1 and F2) OF *P. longifolia* was evaluated against *Escherichia coli*, *Bacillus subtilis*, and *Bacillus thuringiensis*. *coli*, *Candida albicans*, *Pseudomonas aeruginosa*, and *Aspergillus niger* correspondingly. The standard was used to conduct the exam. the agar cup-plate technique.^{38,39} There are three The potential antibacterial and antifungal activity of the separated flavonoidal fractions (F1 and F2) was evaluated against *Escherichia coli*, *Bacillus subtilis*, and *Bacillus thuringiensis*.

3. clinical study: this is the need of hour now.so we will be able to frame *Dhoopan* as an alternative sterilization purpose.

DISCUSSION:-

The method of drug delivery by inhalation has various benefits, such as

easier drug administration, increased bioavailability, and a high potential to cross the blood-brain barrier, is ayurvedic fumigation. Typically, the *Dhoopan* formulations are made up of a combination of medications that work in concert to enhance the effects of the primary antimicrobial agent. For this *Dhoopan Karma*, *Agni* and *Vayu Mahabhoot Pradhan Dravyas* are generally utilised. These properties of *Dravyas* aid in its quicker combustion and spreadability. Their volatility would be a clear benefit in reducing airborne as well as surface level microbial contamination.⁴⁰

As can be seen from the preceding description, *Ayurvedic acharyas* have recommended precautions against numerous illnesses for the newborn infant, such as using clean bedding and clothes, in relation to *Rakshakarma .charaka* and *vagbhata* almost described the similar drugs for fumigation.whereas *sushruta* emphasized on *Sasthi upakrama* of *vrana paricharya.astanga samgraha* mentioned about precautions of *Sasthi ratri .kashyap* vividly described *dhoopa kalpa* where 40 different types of combinations have been explained. *The Sutikagara* (sanatorium/labour chamber) is fumigated (*dhoopana*) with several medications to protect the infant from opportunistic illnesses. Several investigations have empirically demonstrated the antibacterial and antimicrobial capabilities of the medications described in *dhoopana karma*. According to old texts, the chamber should have illumination and a fire to keep it warm. Radiant warmers are available these days for this use. In order to prevent the infant from becoming infected, stringent aseptic precautions are part of modern neonatal care. Sepsis and antiseptic measures, such as washing hands and surfaces, using sterile surgical instruments (blade or scissors), handling the cord in a clean manner, wearing surgical masks and gloves, etc., must be strictly adhered from the beginning of the birth process until the newborn is handled and resuscitated. Throughout the neonatal care process, proper cleanliness is essential to reduce infection episodes. The same idea holds true for mother and child care as well. It is very clear that acharyas have well knowledge about antimicrobial efficacy of *Dhoopan karma* as a purpose of *rakshoghna karma*.all the drugs mentioned for this purpose have *krimighna*, *kandughna*, *jantooghna*, *kusthaghna*, *vranaropana* etc. properties.

we can correlate these properties with antimicrobial,bactericidal,anti inflammatory,cytotoxic potency based on experimental study. The phytochemical screening demonstrated the presence of different types of compounds like terpenoids, tannins, deoxy sugars, saponins, phenolic compounds, and flavonoids which may contribute for the antimicrobial action of the above medicinal plants.so it is evident that ancient neonatal care and modern neonatology is nothing but the modified version of technology .*kashyap* in *dhoopkalpa adhayay* explained 40 types of *dhoop* for various purpose.but we have make an universal combination of *dhoop* beneficial for child as because non availability and ethical issues of some materials/herbs in current time.from the above description. It is clear that there is various in vitro studies have been done to prove *Dhoopan karma* is efficacious as *rakshoghna karma*.

Formaldehyde is used for O.T. fumigation : 500 ml diluted in 1 lit of water in 1000 cubic ft area.if concentration more than 2 ppm,it became carcinogenic and severe toxic.where as herbal drugs used for fumigation does not have strict guideline: 5 gm each of drug taken together for a chamber of size 11-12-13 cm³ ,somewhere it is used as 3 gm of each drug,somewhere it is taken as 25 gm of each drug for 100 sq.ft area of room.basically standard NICU is 120-150 sq.ft area,so we can use 4-5 g of each drug /sq.ft area.

- Dhoopan* can be given by *churna,vati,varti ,dhoop even kashay*,as we can found in ancient times.whwreas chemical disinfectant used only in liquid form.so we can say that bioavailability of *Dhoopan* drugs is more in comparison to chemical fumigation as found in various studies.
- Herbal drugs used for *Dhoopan* now a days is cost-effective in terms of formaldehyde/potassium permanganate soln. also, herbal drugs are readily available from nature and have been used since ancient times.
- Various toxicity study has been done where it is proven that formaldehyde is a potent carcinogen and hazardous for human beings when concentration is hampered. In contrast, herbal drugs showed both antimicrobial potency and cytotoxic, antioxidant, wound healing properties, etc.
- We have explained the antimicrobial spectrum [found in NICU] of various herbal drugs used for *Dhoopan*. In contrast, formaldehyde has a limited spectrum of antimicrobial coverage. Besides that, *dhoopan ayurvedic medicines* have a significant role in preserving

the skin microbiota of neonates, as found in studies.

- In the case of the surface sampling technique, it is cost-effective to use methods like swab or gauze piece method in comparison to using the mold, whereas, for air sampling, it is easy and cost-effective to use a passive method such as the agar plate method; in comparison to an active method like the air sampler.

Now, it's time to establish *Dhoopan karma* as a sterilization technique for clinical study. For this, proper ethical guidelines, standardized drug preparation and formulation, dose and dosage form, duration of effect, and assessment are the first priority. Moreover, toxicity studies and any hazardous effect on children must also be evaluated.

CONCLUSION:-

This type of fumigation technique became an essential part of infection control and hospital epidemiology activities in the current era due to the broad spectrum action (*Krimighna, Kandughna, Jantughna, or* antiseptic, anti-inflammatory, antibacterial, and anti-infective activity) of *Dhoopana Karma*.

However, much research is required to prove this scientific approach of *Dhoopana* for sterilization. These natural agents help to prevent diseases as well as mitigate the side effects of synthetic disinfectants.

IMPLICATION

There is a need to implicate *Dhoopan karma* in a broad spectrum for disinfection compared to toxicities of formalin / bacilloid fumigation in a hospital setup. The method of drug delivery via *Dhoopan (fumigation)* has various benefits, such as easier drug administration, increased bioavailability, and a high potential to cross the blood-brain barrier through the intranasal/inhalation route, which is also a field of future study.

Further, this review article will help develop a standard specific antimicrobial fumigation protocols with *Ayurvedic Dhoopana Dravya*

REFERENCES:-

- V.S. Apte, the Sanskrit-English Dictionary, The digital libraries of south asia, p.1322
- Charaka Samhita Sharirasthana 8/47 p.950 Brahmanada Tripathi (2000).Varanasi; Chaukhambha Prakashan.
- Sushruta Samhita Sharirasthana 10/26 p.78. Atridev (1997). New Delhi, Motilal Banarasi das Publication.
- Astanga Hridaya (Uttara Sthan 1/25-27), Varanasi, Chaukhambha Orientalia Publication. (2003).
- A.S. Utt. 1/26, A.S. Utt. 1/21
- Astanga Hridaya (Uttara Sthan 1/25-27), Varanasi, Chaukhambha Orientalia Publication. (2003).
- Arogyarakshakalpdruma.1/p. 6-7 Varanasi, Chaukhambha Publication
- Shastri JLN, Dravyagunavijnana: Chaukhambha orientalia, Varanasi 2nd edition, 2005
- Prabhu N, Rengaramanujam and Anna Joice P. Efficacy of plants based holy stick fumigation against infectious bacteria. Indian journal of traditional knowledge. 2009; 8(2): 278-80
- Heukelbach, F.A. Oliveira and R. Speare, A new shampoo based on neem (Azadirachta indica) is highly effective against head lice in vitro, Parasitol Res. 2006; 99: 353–356
- Harish chandra, Rajesh m et al. Krimighna effect of Nimbapatra as Rakshoghna Dhoopan by culture and sensitivity method WSR to Pyogenic bacteria. IRJP. 2012;3(6):8.
- Tao, Xingang et al. Tatanan A from the Acorus calamus L. root inhibited dengue virus proliferation and infections. Phytomedicine. 2018;42(10):3.
- . Dash M, Kumar P.J, Panda P. Phytochemical and antimicrobial screening of extracts of Aquilaria agallocha Roxb. Afr. J. Biotechnol. 2008;7:3531–3534.
- Canli, K., Yetgin, A., Akata, I., & Altuner, E. M. In vitro antimicrobial screening of Aquilaria agallocha roots. African journal of traditional, complementary, and alternative medicines. 2016;13(5):178–181
- Capone K., et al (2011) J Invest Derm; doi:10.1038/jid.2011.168
- Cong et al, Advances in Neonatal Care, 2015
- Dominguez-Bello M et al (2010) PNAS 107:11971–11975
- Hallstrom et al 2004. Eur J Clin Microbiol Infect Dis 23(6):463-70
- Dollings & Brown, An Integrated review of Intestinal Microbiota in the Very Premature Infant. Neonatal Network, 2016.
- Satapathy AK, Gunasekaran G, Sahoo SC, Kumar A, Rodrigues PV. Corrosion inhibition by Justicia gendarussa plant extract in hydrochloric acid solution. Corros Sci 2009;51(12):2848–2856
- Wang S, Yu Z, Wang C, et al. Chemical constituents and pharmacological activity of Agarwood and Aquilaria plants. Molecules 2018;23(2): 342
- Srivastava B, Sharma VC, Sharma H, Pant P, Jadhav AD. Comparative physicochemical, phytochemical and high performance thin layer chromatography evaluation of heart wood and small branches of Aquilaria agallocha Roxb. Int J Ayurveda Pharma Res. 2016;4(1):1–6
- NafR, Velluz A, Busset N, Gaudin JM. New norsesquiterpenoids with 10 epi eudesmane skeleton from agarwood (Aquilaria agallocha Roxb.). Flav Frag J 1992;7(6):295–298
- Yang Y, Zhai Y, Liu T, Zhang F, Ji Y. Detection of Valeriana jatamansi as an adulterant of medicinal Paris by length variation of chloroplast psbA-trnH region. Planta medica. 2011 Jan;77(01):87-91.
- Patan A, Alekhya K, Aanandhi V, Tharagesh K, Anish A. Valeriana jatamansi: an ethnobotanical review. Asian J Pharm Clin Res. 2018;11(4):38-40.
- Habib B, Habeeb MA. Antibacterial activity of Valeriana jatamansi against extended-spectrum β lactamase producing Gram-negative bacteria causing urinary tract infections. J Coastal Life Med. 2016;10:791-4
- A. Sharma, V. Kumar Patel, S. Rawat, P. Ramteke, and R. Verma, "Identification of the antibacterial component of some Indian medicinal plants against klebsiella pneumoniae," International Journal of Pharmacy and Pharmaceutical Sciences, vol. 2, no. 3, pp. 123–127, 2010.
- P. Goyal, A. Chauhan, and P. Kaushik, "Assessment of Commiphora wightii (Arn.) Bhandari (Guggul) as potential source for antibacterial agent," Journal of Medicine and Medical Sciences, vol. 1, no. 3, pp. 71–75, 2010.
- K. B. Ishnava, Y. N. Mahida, and J. S. S. Mohan, "In vitro assessments of antibacterial potential of Commiphora wightii (Arn.) Bhandari. gum extract," Journal of Pharmacognosy and Phytotherapy, vol. 2, no. 7, pp. 91–96, 2010.
- C. D. Romero, S. F. Chopin, G. Buck, E. Martinez, M. Garcia, and L. Bixby, "Antibacterial properties of common herbal remedies of the southwest," Journal of Ethnopharmacology, vol. 99, no. 2, pp. 253–257, 2005.
- Ishnava KB, Mahida YN, Mohan JS. In vitro assessments of antibacterial potential of Commiphora wightii (Arn.) Bhandari. gum extract. Journal of Pharmacognosy and Phytotherapy 2010;2(7):91-6
- Sairkar PK, Sharma A, Shukla NP. Antimicrobial Activity of Guggulsterone E and Z. Int. J Curr. Microbiol. App. Sci 2016;5(10):20-6
- Phongpaichit S, Puijenjob N, Rukachaisirikul V, Ongsakul M (2005) Antimicrobial activities of the crude methanol extract of Acorus calamus Linn. M J Sci Technol 27:517-523
- Mungkornasawakul, P (2000) Fungicide from Acorus calamus Linn., Eugenia caryophyllus Bullock et Harrison and Mamea siamensis Kosterm. And their Residues after Application. M. Sc. Thesis. Chiang Mai University. Chiang Mai.
- Thirach S, Tragoolpua K, Punjaisee S, Khamwan C, Jatisatiemr C, Kunyanone N (2003) Antifungal activity of some medicinal plant extracts against Candida albicans and Cryptococcus neoformans. Acta Hort (ISHS) 597:217-221.
- McGaw LJ, Jager AK, Van Staden J (2002) Isolation of B-asarone, an antibacterial and anthelmintic compound, from Acorus calamus in South Africa. South African J Bot 68:31-35.
- Lee JY, LeeJY, Yun BS, Hwang BK (2004) Antifungal activity of B-asarone from rhizomes of Acorus gramineus. J Agric Food Chem 52:776-780
- Rashid MA, Hossain MA, Hassan CM, Reza MS. Antimicrobial diterpenes from Polyalthia longifolia var. pendula (Annonaceae) Phytother Res 1996;10:79-81
- Mathew J. Antimicrobial activity of selected aromatic plants. Indian Drugs 2005;42:28-33.
- International Journal of All Research Education and Scientific Methods (IJARESM), ISSN: 2455-6211 Volume 9, Issue 11, November-2021, Effects of Dhupana Karma in Children